Procuring Entity: <u>University of the Philipines Baguio</u>

Project Name: Supply and Delivery of Various IT Equipment, Peripherals and Accessories (LOT 1, LOT 2 & LOT 3) 2ND BIDDING

Reference Number: UPB-BID-2021-12
Subject: BILL OF QUANTITIES

Item#	Item Description		Technical Specifications	QТY	иом	Unit Cost	Total Cost
<u>VARI</u>	OUS IT EQUIPMENT	(LOT 1)					
1	Laptop, 15.6-in			23	sets		
		Туре	Sleek, Performance Laptop Profile				
		Processor	at least 4C/8T or 6C/12T, 3-8MB cache, upto 3-4Ghz				
		Memory	at least 8-16GB DDR4				
		Storage	at least 512GB SSD M.2 PCle 3.0 NVMe or 256GB SSD+1TB HDD				
		GPU	at least 4GB discrete GPU				
		Display	at least 15.6" LED IPS FullHD 1080p, 400-500nits				
		Camera	at least built-in 720p-1080p HD				
		Speakers	at least built-in stereo				
		Mic	at least built-in mono or stereo				
		Network	at least built-in RJ45 LAN, WiFi 6/b/g/n, BT				
		os	at least licensed Windows 10 64-bit				
		Productivity	at least non-subscription, licensed Office 2019				
		Peripherals	at least backlit keyboard with multi-touch trackpad				
		Ports	at least USB 3.x, USB C, 3.5mm combo audio, HDMI out				
		Other	at least 24-36 months manufacturer's warranty, with Backpack				
2	LAPTOP	Туре	Essential Laptop Profile	2	sets		
		Processor	at least 2C/4T or 4C/4T, 3-4MB cache, upto 3-4Ghz				
		Memory	at least 8GB DDR4				
		Storage	at least 256GB SSD M.2 PCle 3.0 NVMe or 240GB SSD+1TB HDD				
		GPU	at least 2GB discrete GPU or multi-pipeline (48-80EU) iGPU or multi-core iGPU				
		Display	at least 14" LED IPS FullHD 1080p, 220-400nits				
		Camera	at least built-in VGA or 720p HD				
		Speakers	at least built-in stereo				

Item#	Item Description		Technical Specifications	QTY	иом	Unit Cost	Total Cost
		Mic	at least built-in mono				
		Network	at least built-in RJ45 LAN, WiFi b/g/n, BT				
		os	at least licensed Windows 10 64-bit				
		Productivity	at least non-subscription, licensed Office 2019				
		Peripherals	at least backlit keyboard with multi-touch trackpad				
		Ports	at least USB 3.x, USB C, 3.5mm combo audio, HDMI out				
		Other	at least 24 months manufacturer's warranty, with Backpack				
3	Desktop Computer	Туре	All-In-One Desktop or Regular Desktop Profile	10	sets		
		Processor	at least 2C/4T or 4C/4T, 2-4MB cache, upto 3-4Ghz	<b></b>	<b></b>		
		Memory	at least 8GB DDR4				
		Storage	at least 512GB SSD M.2 2280 PCIe 3.0 NVMe or 256GB SSD+1TB HDD				
		GPU	at least multi-pipeline (48-80EU) or multi-core iGPU				
		Display	at least 21.5" LED IPS FullHD 1080p				
		Camera	at least built-in 720p HD				
		Speakers	at least built-in stereo				
		Mic	at least built-in mono				
		Network	at least built-in RJ45 LAN, WiFi b/g/n, BT				
		os	at least licensed Windows 10 64-bit				
		Productivity	at least non-subscription, licensed Office 2019				
		Peripherals	at least USB wired Mouse, USB wired Keyboard				
		Ports	at least USB 3.x, USB 2.x, 3.5mm combo audio, HDMI out, card reader				
		UPS	at least 800VA, 220V with universal outlets				
		Other	at least 24 months manufacturers warranty				
4	Laptop-13"	Туре	Sleek, Performance Laptop Profile	2	units		
		Processor	at least M1 8C with 16C neural engine				
		Memory	at least 8GB unified				
		Storage	at least 256GB SSD				
		GPU	at least 8C GPU				
		Display	at least 13.3" Retina LED IPS, 500 nits, 1600p				
		Camera	at least built-in 720p HD				
		Speakers	at least built-in stereo speakers with wide sound and ATMOS support				
		Mic	at least built-in 3-mic array				

Item#	Item Description		Technical Specifications	QTY	иом	Unit Cost	Total Cost
		Network	at least built-in RJ45 LAN, WiFi 6/a/b/g/n/ac, BT				
		os	at least Mac OS 11.3				
		Productivity	at least non-subscription Office 2019				
		Peripherals	at least backlit Magic Keyboard with Force Touch trackpad, Touch Bar				
		Ports	at least USB 4.x, Thunderbolt, 3.5mm combo audio				
		Other	at least 12 months manufacturer's warranty				
5	Laptop computer 16"	Туре	Sleek, High-Performance Laptop Profile	1	set		
		Processor	at least i7 6C, upto 4.5Ghz, 12MB cache				
		Memory	at least 16GB unified				
		Storage	at least 512GB SSD				
		GPU	at least 4GB discrete GPU + UHD graphics				
		Display	at least 16" Retina LED IPS, 500 nits, 1920p				
		Camera	at least built-in 720p HD				
		Speakers	at least built-in hi-fi 6-speaker with force cancelling woofers				
		Mic	at least built-in studio quality 3-mic array				
		Network	at least built-in RJ45 LAN, WiFi 6/a/b/g/n/ac, BT				
		os	at least Mac OS 11.3				
		Productivity	at least non-subscription Office 2019				
		Peripherals	at least backlit Magic Keyboard with Force Touch trackpad, Touch Bar				
		Ports	at least USB 4.x, Thunderbolt, 3.5mm combo audio				
		Other	at least 12 months manufacturer's warranty				
6	Desktop Computer	Туре	All-In-One Desktop or High-Performance Desktop Profile	7	sets		
		Processor	at least 4C/4T, 4C/8T or 6C/6T, 4-8MB cache, upto 3-4Ghz				
		Memory	at least 8-16GB DDR4				
		Storage	at least 512GB SSD M.2 2280 PCIe 3.0 NVMe or 256GB SSD+1-2TB HDD				
		GPU	at least 2GB discrete GPU				
		Display	at least 23.8" LED IPS FullHD 1080p				
		Camera	at least built-in 720p-1080p HD				
		Speakers	at least built-in stereo				
		Mic	at least built-in mono or stereo				
		Network	at least built-in RJ45 LAN, WiFi b/g/n, BT				
		os	at least licensed Windows 10 64-bit				
		Productivity	at least non-subscription, licensed Office 2019				

Item#	Item Description		Technical Specifications	QTY	иом	Unit Cost	Total Cost
		Peripherals	at least USB wired Mouse, USB wired Keyboard				
		Ports	at least USB 3.x, USB 2.x, 3.5mm combo audio, HDMI out, HDMI in, card reader at least 1000VA, 220V with universal outlets, UPS				
		UPS					
7	Desktop computer	Other	at least 24-36 months manufacturers warranty, NBD support	4	sets		
<i>*</i>	Desktop computer	Type	All-In-One, Sleek Desktop Profile		3613		
		Processor	at least M1 8C with 16C neural engine at least 8GB unified				
		Memory	at least 356GB SSD				
		Storage GPU	at least 250Gb SSD at least 7C GPU				
		Display Camera	at least 23.5" 4.5K Retina, 500 nits, 2520p				
			at least built-in 1080p HD				
		Speakers Mic	at least built-in hi-fi 6-speaker with force cancelling woofers				
		Network	at least built-in studio quality 3-mic array at least built-in RJ45 LAN, WiFi 6/a/b/g/n/ac, BT				
		OS	at least Mac OS 11.3				
		Productivity	at least Mac OS 11.3 at least non-subscription Office 2019				
		Peripherals	at least USB wired Mouse, USB wired Keyboard				
		Ports	at least USB 4.x, USB 3.x, Thunderbolt, 3.5mm combo audio				
		UPS	at least 800VA, 220V with universal outlets				
		Other	at least 12 months manufacturers warranty				
8	Desktop computer- 27"			3	set		
	DOSKEOP COMPACE 27	Type Processor	All-In-One, Sleek Desktop Profile at least 6C, upto 4.8Ghz	<u> </u>			
		Memory	at least 8GB				
		Storage	at least 512GB SSD				
		GPU	at least 4GB discrete GPU				
		Display	at least 27" 5K Retina, 500 nits, 2880p				
		Camera	at least built-in 1080p HD				
		Speakers	at least built-in hi-fi 6-speaker with force cancelling woofers				
		Mic	at least built-in studio quality 3-mic array				
		Network	at least built-in Studio quality 5-file array at least built-in RJ45 LAN, WiFi 6/a/b/g/n/ac, BT				
		OS	at least Mac OS 11.3				
		Productivity	at least Mac OS 11.3 at least non-subscription Office 2019				
		Peripherals	at least USB wired Mouse, USB wired Keyboard				

Item#	Item Description		Technical Specifications	QTY	иом	Unit Cost	Total Cost
		Ports	at least USB 4.x, USB 3.x, Thunderbolt, 3.5mm combo audio				
		UPS	at least 1500VA, 220V with universal outlets				
9	Desktop	Туре	All-In-One Desktop or High-Performance Desktop Profile	6	set		
		Processor	at least 4C/8T, 6C/6T or 6C/12T, 6-10MB cache, upto 3-4.5Ghz				
		Memory	at least 16GB DDR4				
		Storage	at least 512-1024GB SSD M.2 2280 PCle 3.0 NVMe+2-4TB HDD				
		GPU	at least 4-8GB discrete GPU				
		Display	at least 23.8"-27" LED IPS FullHD 1080p 144-165Hz				
		Camera	at least built-in 720p-1080p HD				
		Speakers	at least built-in stereo or dual-stereo				
		Mic	at least built-in mono or stereo				
		Network	at least built-in RJ45 LAN, WiFi b/g/n, BT				
		os	at least licensed Windows 10 64-bit				
		Productivity	at least non-subscription, licensed Office 2019				
		Peripherals	at least USB wired Mouse, USB wired Keyboard				
		Ports	at least USB 3.x, USB 2.x, 3.5mm combo audio, HDMI out, HDMI in, card reader				
		UPS	at least 1500VA, 220V with universal outlets				
		Other	at least 36 months manufacturers warranty, NBD support				

## **Sub-Total**

## VARIOUS IT PERIPHERALS (LOT 2)

10	AX3000 WiFi Router	Туре	AX3000 Dual Band, Gigabit, 2T2R MU-MIMO, WiFi 6, OFDMA	6	units	
		LAN Ports	at least 4x RJ45 10/100/1000Mbps			
		WAN Ports	at least 1x RJ45 10/100/1000Mbps			
		WiFi	at least 802.11 b/g/n/a/ac/ax			
		Antennas	at least 4x external omni-directional, beam-forming, high-power FEM			
		Power Supply	at least 12V 2A, auto-voltage			
		Signal Rates	at least upto 2402Mbps (5Ghz), upto 574Mbps (2.4Ghz)			
		Firewall / Security	at least DoS, SPI, IP and MAC address binding, ALG			
		Wireless Security	at least WPA2 (PSK and enterprise)			
		WAN Types	at least Dynamic IP, Static IP, PPPoE, PPTP, L2TP			

Item#	Item Description		Technical Specifications	QTY	иом	Unit Cost	Total Cost
		Management	at least with web-based Access Control, Local Management, Remote Management				
		Supported Protocols	at least IPv4 and IPv6, QoS				
		Guest Network	at least one each for 2.4Ghz and 5Ghz				
		Firmware	at least user upgradable, web interface				
		Other	at least 12 months manufacturers warranty, Dual-core CPU, LAG				
11	Projector, XGA	White Brightness	at least 4,000 ANSI Lumens	2	units		
		Color Brightness	at least 4,000 Lumens CLO				
		Resolution	at least 1024x768				
		Aspect Ratio	at least 4:3 (XGA)				
		Contrast	at least 15,000:1 (full on/off)				
		Display Type	at least 2 cm 3LCD Chips				
		Color Processing	at least 10-bit				
		Video Modes	at least 720p, 1080i, 1080p/60, 576i, 576p, 480p, 480i				
		Data Modes	at least MAX 1600x1200				
		Lamp Type	at least 210W UHE bulb				
		Lamp Life	at least 6,000 hours / 12,000 hours (Eco)				
		Included Lens	at least 1.6x manual zoom , manual focus				
		Throw Distance	at least 1.4 m - 8.4 m Calculate Throw Distance				
		Image Size	at least 77 cm - 762 cm				
		Throw Ratio	at least 1.38:1 - 2.24:1 (D:W)				
		Digital Zoom	Yes				
		Projector Size	at least 10 cm x 31 cm x 29 cm (HxWxD)				
		Weight	at least 3.0 kg				
		Audible Noise	at least 37 dB / 28 dB (Eco)				
		Internal Speakers	at least 16.0 Watts Mono				
		Power	at least 326 Watts 100V - 240V				
12	Printer, 3-in-1, PSC,	Туре	All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS	1	unit		
		Print Speed	at least upto 33ppm (black) / 15ppm (color) for Draft A4		T		
		Copy Speed	at least upto 7.7ipm (black) / 3.8ipm (color) for A4 Simplex Flatbed				
			at least 5760 x 1440 dpi with variable-sized droplet technology				
			at least 180 nozzles Black, 59 nozzles per colour (Cyan, Magenta, Yellow)				
		,	at least 1.44" Color LCD				
			at least 1200 x 2400 dpi, 48-bit color				

Item#	Item Description	Technical Specifications	QTY	иом	Unit Cost	Total Cost
		Scanner Speed at least 200dpi Black: 12 sec / 4.5 ipm, 200dpi Colour: 29 sec / 4.5 ipm				
		ADF Paper Capacity at least 30 pages (A4), 10 pages (Legal)  Maximum Copy Resolution at least 600 x 600 dpi				
		Maximum Copy Resolution at least 600 x 600 dpi  OS at least compatible with Windows and Mac OS				
		Photo Printing at least borderless upto 4R, 90s printout				
		Ink Tank System at least spill-free and error-free refilling				
		Connectivity at least USB 2.x, WiFi, WiFi Direct and LAN				
		Other at least 12 months manufacturer's warranty				
13	Copier/Printer/Scanner	Copier with Printer/Scanner capability, Memory cap 512MB scan Res. 600x600dpi Printing Res 600x600dpi, Bypass Tray: A3, Min.A5, duplex capable, 2-tray Module, Power SupplyAC220-240V, MaxPowerConsumptionAC220 V: 1.3kW, Toner consumable, at least LAN	1	unit		
14	Managed, 24 port Gigabit Switch	High quality, branded, Layer 2/3, Fully managed, 24 port Gigabit Switch, with 2 autosensing 10/100/1000 trunk ports, 2 fixed Gigabit Ethernet SFP	2	units		
15	3D Printer and software: 3D Printer with Wifi	3D Printer and software: 3D Printer with Wifi interface and accessories diameter: 1.75 mm layer thickness 50-300 microns display 5" full color IPS touch screen, Feeder: Direct, closed print chamber, Print bed details: Heated	1	unit		
16	Extenal memory drive 10TB USB3.0(desktop	Extenal memory drive 10TB USB3.0 (desktop external hard drive), at least 160MB/s data transfer, at least 2x front facing USB3.0 intelligent hub	4	pcs		
17	DLP projector, HDMI	White Brightness at least 4,000 ANSI Lumens	2	units		
		Color Brightness at least 4,000 Lumens CLO				
		Resolution at least 1024x768				
		Aspect Ratio at least 4:3 (XGA)				
		Contrast at least 15,000:1 (full on/off)				
		Display Type at least 2 cm 3LCD Chips				
		Color Processing at least 10-bit				
		Video Modes at least 720p, 1080i, 1080p/60, 576i, 576p, 480p, 480i				
		Data Modes at least MAX 1600x1200				
		Lamp Type at least 210W UHE bulb				
		Lamp Life at least 6,000 hours / 12,000 hours (Eco)				
		Included Lens at least 1.6x manual zoom , manual focus				
		Throw Distance at least 1.4 m - 8.4 m Calculate Throw Distance Image Size at least 77 cm - 762 cm				
		Image Size at least 77 cm - 762 cm Throw Ratio at least 1.38:1 - 2.24:1 (D:W)				

Item#	Item Description	Technical Specifications	QTY	UOM	Unit Cost	Total Cost
		Digital Zoom Yes				
		Projector Size at least 10 cm x 31 cm x 29 cm (HxWxD)				
		Weight at least 3.0 kg				
		Audible Noise at least 37 dB / 28 dB (Eco)				
		Internal Speakers at least 16.0 Watts Mono				
		Power at least 326 Watts 100V - 240V				

## **Sub-Total**

## VARIOUS IT ACCESSORIES (LOT 3)

18	Desktop speaker	TOTAL POWER OUTPUT: RMS 8W x 2 + 12W x 1	2	units	
		THD + N:10%  SNR:≥85dBA			
		DISTORTION: ≤0.5%			
		INPUT SENSITIVITY: Satellites: $450 \text{mV} \pm 50 \text{mV}$ Subwoofer: $70 \text{mV} \pm 20 \text{mV}$ NPUT IMPEDANCE: $10 \text{K}\Omega$ SUBWOOFER / BASS UNIT: 5 inch (131mm), Magnetically shielded, $4\Omega$ TWEETER UNIT: $2\frac{3}{4}$ inch (70mm), Magnetically shielded, $4\Omega$ CONTROL PANEL: Bass trimmer, Power switch, FM tuner DIMENSION: Satellites: $120 \text{mm} \times 151 \text{mm} \times 125 \text{mm}$ Subwoofer: $164 \text{mm} \times 220 \text{mm} \times 280 \text{mm}$ (WxHxD)			
19	DSLR camera	WEIGHT: ≈4.20Kg (net) / ≈5.20Kg (gross)  AF Modes One-Shot AF, Servo AF	1	unit	
		AF Point Selection Automatic selection, Manual selection			
		AF System Points 143 / 99 AF Points* * Up to 143 AF points may be displayed when a compatible			
		Built-in Flash YES			

Item Description	Technical Specifications	QTY	иом	Unit Cost	Total Cost
	Closest Focusing Di: 25				
	Continuous Shootin 10 (One Shot AE) / 7.4 (Sonso AE)				
	, , , , , , , , , , , , , , , , , , ,				
	, ,				
		Ş			
	1 '				
	_ · · · · · · · · · · · · · · · · · · ·				
		00 (RAW)			
	Image Stabilizer Lens-shift type	` ′			
	LCD Monitor (Size) + 3				
Headphones	Features: Adjustable Headband	2	units		
-	Impedance: 21 Ohm				
	Sound Pressure Level: 100 dB				
Missophone with stand		2	unita		
Microphone with stand			units		
	Set Type: Multi-Microphone Kits				
	Polar Patterns: Cardioid				
	Communication: Wired				
	Frequency Response: 20Hz-20kHz				
	Sampling Rate: 192kHz/24bit				
	Sensitivity: -47dB~-29dB+/-3dB				
	· ·				
	Headphones  Microphone with stand	Closest Focusing Di-25  Continuous Shootin 10 (One-Shot AF) / 7.4 (Servo AF)  Dimensions (Excl. P 116.3 x 88.1 x 58.7  Drive System Stepping Motor-driven lead screw + rack system  Effective ISO 100 - 25600 (H:51200)  Effective Pixels (Me 24.1  Exposure Compens: Manual: ±3 stops in 1/3-stop increments, AEB: ±2 stops in 1/3-stop increments. Eye Detection AF Available: One-Shot AF Flash Modes E-TTLI I Autoflash, FE Lock, Manual pop-up, Retractable, Built-in Focal Length (35mr 24 - 72mm(3x))  Guide Number ISO 5  Image Resolution 6000 x 4000 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 400 (L) 3984	Closest Focusing Di 25  Continuous Shootin 10 (One-Shot AF) / 7.4 (Servo AF)  Dimensions (Excl. P 116.3 x 88.1 x 58.7  Drive System Stepping Motor-driven lead screw + rack system Effective ISO 100 - 25600 (H:51200)  Effective Pixels (Mr. 24.1  Exposure Compens Manual: ±3 stops in 1/3-stop increments, AEB: ±2 stops in 1/3-stop increments Eye Detection AF Available: One-Shot AF  Flash Modes E-TTL II Autoflash, FE Lock, Manual pop-up, Retractable, Built-in Focal Length (35mr 24 - 72mm(3x))  Guide Number ISO 5  Image Resolution 6000 x 4000 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 4000 (RAW)  Image Stabilizer Lens-shift type  LCD Monitor (Size) 3  LCD Monitor (Size) 4  LCD Monitor (Size) 3  LCD Monitor (Size) 3  LCD Monitor (Size) 4  LCD Monitor (Size) 3  LCD Monitor (Size) 4  LCD Monitor	Closest Focusing Diz 25  Continuous Shootin 10 (One-Shot AF) / 7.4 (Servo AF)  Dimensions (Excl. P 116.3 x 88.1 x 58.7  Drive System  Effective System  Effective ISO  Effective Pibels (Mr. 24.1  Exposure Compens. Manual: ±3 stops in 1/3-stop increments.  Eye Detection AF  Flash Modes  Focal Length (35mr 24 - 72mm)(3x)  Guide Number ISO  Image Resolution  Image Stabilizer  LCD Monitor (Size) 3  LCD Monitor Resolution  Manual Focus  VES  Memory Card Type SD, SDHC*, SDHC*, *UHS-I cards compatible  Metering Mode  Metering Mode  Seadures: Adjustable Headaband  Impedance: 21 Ohm  Sound Pressure Level: 100 dB  Minimum Frequency Response: 20 Hz  Maximum Frequency Response: 20 Hz  Model Number: Condenser Microphone  Set Type: Multi-Microphone  Set Type: Multi-Microphone  Microphone-core: Dia.16mm Condenser  Frequency Response: Colta-2 Solta-2  Stype: Professional USB Microphone  Microphone-core: Dia.16mm Condenser  Frequency Response: Colta-2 Solta-2  Sampling Rate: 192kHz/24bit  Sensitivity: -47dBx-2-29dB+/-3dB  Maximum SPL: 125dB  USB Cable: USB A to B, 2.5M  Mute control: Touch panel	Closest Focusing Di: 25 Continuous Shootin: 10 (One-Shot AF) / 7.4 (Servo AF) Dimensions (Excl. P. 116.3 x 88.1 x 58.7 Drive System Effective ISO 100 - 25600 (H:51200) Effective ISO 100 - 25600 (H:51200) Effective Pixels (Mx 21.1 Exposure Compens: Manual: ±3 stops in 1/3-stop increments, AEB: ±2 stops in 1/3-stop increments Eye Detection AF Available: One-Shot AF Flash Modes F-TTL II Autoffssh, FE Lock, Manual pop-up, Retractable, Built-in Focal Length (35mr 24 - 72mm(3x)) Guide Number ISO 5 Image Resolution Image Stability Lens-shift type LCD Monitor (Size): 3 LCD Monitor Resolution (100000) Manual Focus VES Memory Card Type SD, SDNC*, SDNC*, *UHS-1 cards compatible Metering Mode 384-zone TTL Evaluative, Partial, Spot, Centre-weighted average  Headphones Features: Adjustable Headsham Impedance: 21 Ohm Sound Pressure Level: 100 dB Minimum Frequency Response: 20 Hz Maximum Frequency Response: 20 Hz Ser Type: Multi-Microphone Set Type: Multi-Microphone Set Type: Multi-Microphone Microphone Vision (USB) Microphone Microphone Correctional USB Microphone Microphone-Correctional Lifemin Condenser Frequency Response: 20Hz-20KHz Sampling Rate: 192kHz/2/4bit Sensitivity: -47dBx-29dB+/-3dB Maximum Spt: 1:25dB USB Cable: USB A to B, 2.5M Multe-control: Touch panel

Item#	Item Description	Technical Specifications	QTY	иом	Unit Cost	Total Cost
		Microphone gain: Knob				
22	Optimal mouse	Connection modes:USB;USB type: 3.0 compatibility: Windows XP/VISTA/7/8/10;	40	units		
		Macos: Yes;Features: 3 buttons including 2D non-slip scroll wheel; DPI: 1600				
23	Printer, all in one A3	Print method: PrecisionCore Print head; Maximum print resolution: 4800x1200 dpi;C	1	unit		
		resolution: 600x600 dpi				
24	RAM (Random Access	JEDEC standard 1.5v(1.425v~1.575v) power supply; VDDQ :1.5v(1.425v~15.75v),	15	pcs		
		High quality (additional specs added)				
25	Ring Light	size: 18 inch ring klight; 240 LED beads, dual phone position; Free ring light bag,	1	unit		
		dual tone( white light and warm light) Stepless dimming		••		
26	Teleprompter	Compatible Tablet: Under 8 inch Package Size: 26.5 * 23.5 * 10.5cm/ 10.4 * 9.3 * 4.1in	1	unit		
		· · · · · · · · · · · · · · · · · · ·				
27	Heintersuntible never	Package Weight: 1470g/ 3.2lbs  Type High quality, Line-Interactive UPS with MPC, built-in AVR, universal	25	unito		
2/	Uninterruptible power	Output capacity at least 1500VA / 900W	25	units		
		Interface at least six (6) universal outlets				
		Controller at least Microprocessor based digital control				
		Display at least LED display or LCD display				
		Regulation at least with buck and boost voltage stabilizer				
		Input at least with buck and boost voltage stabilizer at least with wide input voltage range (165-295V AC), frequency at	ıta-sansinı	I		
		Output at least with wide output voltage range (200-240V AC), frequency at				
		Battery at least 2x 12V/8Ah, sealed, maintenance-free. 6-8Hr recharge	3010-361131	l I		
		Protection at least with built-in safety fuse or circuit breaker, over charge, over	•			
		discharge, surge, short, overload protections				
		Other at least with 12 months manufacturer's warranty				
28	Video/Photography	Light power: 45W color temperature: 2700k/5500K; Brightness: stepless adjustment	1	set		
20	Video/Filotography	Input voltage: DC 24v; Softbox size: 50*70 cm/20 *28in		361		
29	Webcam for Desktop	HD video calling (1280 x 720 pixels) / Video capture: Up to 1280 x 720 pixels / Logitech	2	units		
	Western 10. Besites	Fluid Crystal Technology / Photos: Up to 3.0 megapixels / Built-in mic with		arries		
		reduction / Hi-Speed USB 2.0 certified / Universal clip fits				
30	Wi-fi router - Network	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac;	4	units		
		Coverage: large homes; Memory: 16MB flash 128 MB RAM	-			
31	Scanner Type:	Scanner Type: Overhead, Simplex	6	units		
		Scanning modes: Color, Grayscale, Monochrome, Automatic (Color/Grayscale/Monochrome)	chrome de	etection)		
		Image Sensor: Lens reduction optics/Color CCD x 1				
		Light Source: White Led + Lens illumination x 2				
		Optical Resolution:				
		285 to 218 dpi (Horizontal Scanning)				
		283 to 152 dpi (Vertical scanning)				
		Document Size:				
1		Maximum: 432 x 300 mm (17.0 x 11.8 in.)				
		Minimum: 25.4 x 25.4mm (1x1 in.)(4)				

Item#	Item Description	Technical Specifications	QTY	UOM	Unit Cost	Total Cost
		Document Thickness: 30mm (1.18 in.) or less				
		Interface: USB 2.0 / USB 1.1 (Connector type: Type-B)				
		Image Processing Function: Deskew by text on document, Auto paper size detection Auto image rotation, auto color detection, Book image correction (7),	า, I			
		Multiple document documentation (8)				
		Magnification in vertical Scanning (length): +- 1.5%				
		Scanning Speed: 3 seconds per page				
32	Audio controller - Cool	Appearance: Cool LED breathing lamp	2	units		
		Accompaniment: Bluetooth wireless accompaniment				
		All-in-One: Works as a USB sound card plus mixing station.				
		Easy-to-use: Setup and start podcasting or live streaming in no time.				
		Mixing Station: Two mic inputs, One Accompaniment input,				
		and real-time monitoring Special Effects: Eight Built-in special audio effects and various				
		adjustments available for your creation				
		Multiple Outputs: Output up to three devices simultaneously. Give you more possibilities				
33	Backdrop green screen	Color: Green	1	sets		
		Material: Polyester-Cotton Fabric				
		Backdrop Unfolded Size: 2 * 3m / 6.6 * 10ft				
		Backdrop Bracket Size: 2 * 3m / 6.6 * 10ft				
		Package Size: 85 * 16 * 10.5cm/ 33.5 * 6.3 * 4.1in				
24	Inhiat Brinton Trans. All	Package Weight: 3537g/ 7.8lbs	4	cot		
34	Inkjet Printer, Type: All-	Type All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS Print Speed at least upto 33ppm (black) / 20ppm (color) for Draft A4	4	set		
		Copy Speed at least upto 33ppm (black) / 5.5ipm (color) for A4 Simplex				
		Print Resolution at least 4800 x 1200 dpi with variable-sized droplet technology				
		Nozzle Configurat least 400 nozzles Black, 128 nozzles per colour (Cyan, Magenta	, Yellow)			
		Display / Consol at least 2.4" Color LCD Touch Panel				
		Scanner Optical at least 1200 x 2400 dpi, 48-bit color				
		Scanner Speed at least 200dpi Black: 12 sec / 5 ipm, 200dpi Colour: 27 sec / 5 ipm	ן י			
		ADF Paper Capa at least 30 pages (A4), 10 pages (Legal)				
		Maximum Copy F at least 600 x 1200 dpi OS at least compatible with Windows and Mac OS				
		Photo Printing at least borderless upto A4, 92s printout				
		Ink Tank System at least spill-free and error-free refilling				
		Connectivity at least USB 2.x, WiFi, WiFi Direct and LAN				
		Other at least 12 months manufacturer's warranty				
35	Computer / Office Chair	Dimension: W76xD58XH110-115cm; Color: Black; metal: chrome	2	units		
36	Microsoft Office 2019	Microsoft Office 2019	10	рс		

. . - . .

Item#	Item Description	Technical Specifications	QTY	иом	Unit Cost	Total Cost
	Sub-Total					

TOTAL:
VARIOUS IT Accessories (LOT 3):
VARIOUS IT Peripherals (LOT 2):
VARIOUS IT Equipment (LOT 1):

Prepared by:			
Name:			
Signature:			
Company:			
Address:			
Email address:			
Contact Number:			