TECHNICAL SPECIFICATIONS LOT 3 ACCESSORIES AND PERIPHERALS

ITEI NO		PARTICULARS	NO. OF	CTATCA COATS
				Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performan parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	PRINTER			
	Type Print Speed Copy Speed Print Resolution Nozzle Configuration Display / Console Scanner Optical Resolution	All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS at least upto 33ppm (black) / 15ppm (color) for Draft A4 at least upto 7.7ipm (black) / 3.8ipm (color) for A4 Simplex Flatbed at least 5760 x 1440 dpi with variable-sized droplet technology at least 180 nozzles Black, 59 nozzles per colour (Cyan, Magenta, Yellow) at least 1.44" Color LCD at least 1200 x 2400 dpi, 48-bit color	6	
111111	Scanner Speed ADF Paper Capacity Maximum Copy Resolution OS Photo Printing Ink Tank System	at least 200dpi Black: 12 sec / 4.5 ipm, 200dpi Colour: 29 sec / 4.5 ipm at least 30 pages (A4), 10 pages (Legal) at least 600 x 600 dpi at least compatible with Windows and Mac OS at least borderless upto 4R, 90s printout at least spill-free and error-free refilling		
- 1	Connectivity Other	at least USB 2.x, WiFi, WiFi Direct and LAN at least 12 months manufacturer's warranty		
2	PRINTER			
	Type Print Speed Copy Speed	All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS at least upto 33ppm (black) / 20ppm (color) for Draft A4	7	
1	Print Resolution	at least upto 11ipm (black) / 5.5ipm (color) for A4 Simplex at least 4800 x 1200 dpi with variable-sized droplet technology at least 400 nozzles Black, 128 nozzles per colour (Cyan, Magenta, Yellow)	- Property	
9	Display / Console Scanner Optical Resolution Scanner Speed ADF Paper Capacity	at least 2.4" Color LCD Touch Panel at least 1200 x 2400 dpi, 48-bit color at least 200dpi Black: 12 sec / 5 ipm, 200dpi Colour: 27 sec / 5 ipm	77,700	
М С Р	Maximum Copy Resolution OS Photo Printing Ink Tank System	at least 30 pages (A4), 10 pages (Legal) at least 600 x 1200 dpi at least compatible with Windows and Mac OS at least borderless upto A4, 92s printout at least spill-free and error-free refilling		
c	Connectivity Other	at least spiir-free and error-free refilling at least USB 2.x, WiFi, WiFi Direct and LAN at least 12 months manufacturer's warranty		

TECHNICAL SPECIFICATIONS LOT 3

ACCESSORIES AND PERIPHERALS

ITEM NO.		PARTICULARS	NO. OF UNITS	STATEMENT OF COMPLIANCE
				Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
3	PRINTER	All-in-One, Print, Scan, Copy, Fax, A3+ Color Inkjet w/ ADF,	1	
	Туре	ciss		
	Print Speed	at least upto 38ppm (black) / 24ppm (color) for Draft A4		
	Copy Speed	at least upto 11.5ipm (black) / 5.5ipm (color) for A4 Simplex		
	Print Resolution Nozzle Configuration	at least 4800 x 1200 dpi with variable-sized droplet technology at least 400 nozzles Black, 128 nozzles per colour (Cyan, Magenta, Yellow)		
	Display / Console	at least 2.7" Color LCD Touch Panel		
	Scanner Optical Resolution	at least 1200 x 2400 dpi, 48-bit color at least 200dpi Black: 13 sec / 5 ipm, 200dpi Colour: 28 sec /	-	
	Scanner Speed	5 ipm		
	ADF Paper Capacity Maximum Copy Resolution	at least 35 pages (A4) at least 600 x 600 dpi		
	OS	at least cook x cook dpr		
	Photo Printing	at least borderless upto 4R, 95s printout		
	ink Tank System	at least spill-free and error-free refilling		
	Connectivity	at least USB 2.x, WiFi, WiFi Direct and LAN		
	Other	at least 12 months manufacturer's warranty		
4	HEADSET		12	
	Type: USB Digital Headset			
	Microphone Type: Bi-direction	al, Noise-canceling		
	Input Impedance: 32 Ohms			
	Sensitivity (headphone): 94 dB			
	Sensitivity (microphone): -17 d	· · ·		
	Frequency response (Headset)	•		
	Frequency response (Micropho Ergonomic Design, Padded Ear	· ·	ļ	
	With warranty	rada, constonade wedi		
5	HEADSET		3	
	Type: Single-plug headset	Manual Nicha annualtan	-	
	Microphone Type: Omni-direct Frequency Response: 20 Hz - 2	· -		
	Prequency Response: 20 Hz - 2 Nominal Impedance: 32 Ohms			
	Sensitivity: 111 dB ± 3 dB			
	Speaker Diameter: F50 mm			
	Cable Length: 2m		-	
	Microphone Sensitivity: -58 db	± 3 db	-	
	Ergonomic Design, Padded Ear	Pads, Comfortable wear	A. Walley	
	Package Includes: Stereo Head	lset Earphone Hook		
	With warranty		ŀ	

TECHNICAL SPECIFICATIONS LOT 3 ACCESSORIES AND PERIPHERALS

ITEM NO.	PARTICULARS	NO. OF	STATEMENT OF COMPLIANCE
			Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
6	Type: Microprocessor based digital controlled UPS with boost and buck AVR for voltage stabilization Ratings: 2000VA / 1200W Battery: 2x 12V/9Ah Interface: 6x Universal Socket, LED Indicators Size: 125 x 380 x 225mm Weight: 14.8Kg Features: Auto Sensing Frequency, Wide input voltage range, Power on self test, Cold start, Auto-restart, Intelligent battery management, three-stage charging, protection against short	3	
	Optional RS232C Communications With warranty		
7	EXTERNAL USB HDD 2TB Type: Shockproof External Portable Drive Capacity: 2TB Color: Black / Blue / Red Interface: USB 3.2 Gen1 (backward compatible with USB 2.0) Texture: Plastic / Rubber Operating Votage: DC 5V 900mA Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kernel 2.6 or later Included Accessories: USB 3.2 Gen1 cable; Quick Start Guide With warranty	4	
	EXTERNAL USB HDD 1TB	75	
The second secon	Type: Shockproof External Portable Drive Capacity: 1TB Color: Black / Blue / Red Interface: USB 3.2 Gen1 (backward compatible with USB 2.0) Texture: Plastic / Rubber Operating Votage: DC 5V 900mA Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kernel 2.6 or later Included Accessories: USB 3.2 Gen1 cable; Quick Start Guide With warranty		
	With warranty		
The state of the s	LED MONITOR, 24" Type: IPS LED FHD 1080p Monitor Panel: 23.8-inch IPS 250 nits (cd/m2) Native resolution: 1920 x 1080 @ 75Hz Response time: 1ms (VRB) Contrast ratio: 100 million:1 max (ACM) Colors: 16.7 million Speakers: 2Wx2 Ports: 1x VGA, 2x HDMI, Speakers Power: 100 - 240 V Internal Adapter Features: AMD Radeon FreeSync Technology, ZeroFrame Bezels With warranty	5	

TECHNICAL SPECIFICATIONS LOT 3 ACCESSORIES AND PERIPHERALS

DATE:

ITEM NO.		PARTICULARS	NO. OF UNITS	STATEMENT OF COMPLIANCE
				Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
10	WEB CAMERA FHD		8	
	Chrome OS 6.0 or Later, Androi	0*1080 Pixels s s s s s (1) s / 8.1 / 10 or Later s (UVC) Mode: Mac OS 10.6 or Later, Linux OS 2.6 or Late	ir,	
11	PROJECTOR		3	
	Color Brightnes Resolution Contrast Ratio Lamp Life	3600 lumens XGA 15,000 : 1 10,000/eco mode		
NAME O	F COMPANY/BIDDER:			
NAMEO	F REPRESENTATIVE:			
SIGNATU	RE OF REPRESENTATIVE:			



PRICE SCHEDULE
LOT 3
ACCESSORIES AND PERIPHERALS

	PARTICULARS	MOU	QTY	APPROVED BUDGET FOR THE CONTRACT	VACT	BIDDER'S OFFER	OFFER
		······	Т	UNIT COST	TOTAL COST	UNIT PRICE	TOTAL PRICE
PRINTER			6	15,000.00	90,000.00	AND THE PROPERTY OF THE PROPER	
Туре	All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS						
Speed	at least upto 33ppm (black) / 15ppm (color) for Draft A4						
Copy Speed	at least upto 7.7 ipm (black) / 3.8 ipm (color) for A4 Simplex Flatbed						
tion	at least 5760 x 1440 dpi with variable-sized droplet technology						
Nozzle Configuration	at least 180 nozzles Black, 59 nozzles per colour (Cyan, Magenta, Yellow)						
Display / Console	at least 1.44" Color LCD						
Scanner Optical Resolution	at least 1200 x 2400 dpi, 48-bit color						
Scanner Speed	at least 200dpi Black: 12 sec / 4.5 ipm, 200dpi Colour: 29 sec / 4.5 ipm						
ADF Paper Capacity	at least 30 pages (A4), 10 pages (Legal)						
Maximum Copy Resolution	at least 600 x 600 dpi						
os	at least compatible with Windows and Mac OS						
Photo Printing	at least borderless upto 4R, 90s printout						
Ink Tank System	at least spill-free and error-free refilling						
Connectivity	at least USB 2.x, WiFi, WiFi Direct and LAN						
Other	at least 12 months manufacturer's warranty						
			1	33 000 00	101 000 00		
PRINTER			,	23,000.00	TOT,UUUTOT		
Туре	All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS						
Print Speed	at least upto 33ppm (black) / 20ppm (color) for Draft A4						
Copy Speed	at least upto 11ipm (black) / 5.5ipm (color) for A4 Simplex						
Print Resolution	at least 4800 x 1200 dpi with variable-sized droplet technology						
Nozzle Configuration	at least 400 nozzies Black, 128 nozzies per colour (Cyan, Magenta, Yellow)						
Display / Console	at least 2.4" Color LCD Touch Panel						
Scanner Optical Resolution	at least 1200 x 2400 dpi, 48-bit color						
Scanner Speed	at least 200dpi Black: 12 sec / 5 ipm, 200dpi Colour: 27 sec / 5 ipm						•
ADF Paper Capacity	at least 30 pages (A4), 10 pages (Legal)	-					
Maximum Copy Resolution	at least 600 x 1200 dpi						
os	at least compatible with Windows and Mac OS						
Photo Printing	at least borderless upto A4, 92s printout						****
Ink Tank System	at least spill-free and error-free refilling						
Connectivity	at least USB 2.x, WIFi, WiFi Direct and LAN						
Other	at least 12 months manufacturer's warranty						
(1161		gr reger to invitate managency o managery	at 1000; 14 HOURS HOUNDS O MALAITY	at reast to invitate maintacents o maintain	at react to invitate maintabetary a maintainy	Par locat to invitito inpinimavaloro marianty	at least 14 invitais institutavans) s maranty



PRICE SCHEDULE
LOT 3
ACCESSORIES AND PERIPHERALS

1444	14215																14320			PR NO.	
6	S &																CSC			END-USER	
		4											•					3		NO	
Input Impedance: 32 Ohms Input Impedance: 32 Ohms Sensitivity (headphone): 94 dBV/Pa +/- 3 dB Sensitivity (microphone): -17 dBV/Pa +/- 4 dB Frequency response (Headset): 20 Hz - 20 KHz Frequency response (Microphone): 100 Hz - 10 KHz Ergonomic Design, Padded Ear Pads, Comfortable wear With warranty	Type: USB Digital Headset	HEADSET	Other	Connectivity	Ink Tank System	Photo Printing	OS	Maximum Copy Resolution	ADF Paper Capacity	Scanner Speed	Scanner Optical Resolution	Display / Console	Nozzle Configuration	Print Resolution	Copy Speed	Print Speed	Туре	PRINTER			
BV/Pa +/- 3 dB dBV/Pa +/- 4 dB): 20 Hz - 20 KHz none): 100 Hz - 10 KHz rr Pads, Comfortable wear			at least 12 months manufacturer's warranty	at least USB 2.x, WiFi, WiFi Direct and LAN	at least spill-free and error-free refilling	at least borderless upto 4R, 95s printout	at least compatible with Windows and Mac OS	at least 600 x 600 dpi	at least 35 pages (A4)	at least 200dpi Black: 13 sec / 5 ipm, 200dpi Colour: 28 sec / 5 ipm	at least 1200 x 2400 dpi, 48-bit color	at least 2.7" Color LCD Touch Panel	at least 400 nozzles Black, 128 nozzles per colour (Cyan, Magenta, Yellow)	at least 4800 x 1200 dpi with variable-sized droplet technology	at least upto 11.5ipm (black) / 5.5ipm (color) for A4 Simplex	at least upto 38ppm (black) / 24ppm (color) for Draft A4	All-in-One, Print, Scan, Copy, Fax, A3+ Color Inkjet w/ ADF, CISS			PARTICULARS	d alamanyAAAAmma anno anno anno anno anno anno anno a
																				MON	
		12																1		QTY	
		2,500.00																30,000.00	UNIT COST	APPROVED BU	
		30,000.00																30,000.00	TOTAL COST	APPROVED BUDGET FOR THE CONTRACT	
																			UNIT PRICE	BIDDER'S OFFER	
																			TOTAL PRICE	S OFFER	

PRICE SCHEDULE
LOT 3
ACCESSORIES AND PERIPHERALS

	PR NO.	END-USER	NO.	PARTICULARS	MON	QTY	APPROVED BUDGET FOR THE	/ED BUDGET
OC OVCAA OC								UNIT COST
OC OVCAA OC OC OC OC OC ODSA			5	HEADSET			3	
OVCAA OC ODSA	14366	OVCAA		Type: Single-plug neadset Microphone Type: Omni-directional Noise-canceling				
OVCAA OC 7 CS ODSA				Frequency Response: 20 Hz - 20 KHz				
OVCAA OC OC OCS				Nominal Impedance: 32 Ohms				
OVCAA 6 OC OC OC 7				Sensitivity: 111 dB ± 3 dB				
OVCAA OC OC OC ODSA				Speaker Diameter: F50 mm				
OVCAA OC OC OC ODSA				Cable Length: 2m				
OVCAA OC TOOLS ODSA				Microphone Sensitivity: -58 db ± 3 db			-	
OVCAA OC OC OC OCS				Ergonomic Design, Padded Ear Pads, Comfortable wear				
OVCAA OC OC OCS				Package Includes: Stereo Headset Earphone Hook		-	THE PARTY AND A	
OVCAA OC CS ODSA				With warranty				
OVCAA OC CS ODSA			6	UNINTERRUPTIBLE POWER SUPPLY			3	3 8,500.00
CS ODSA	14366	OVCAA		Type: Microprocessor based digital controlled UPS with boost and buck AVR for voltage stabilization		THE PROPERTY OF THE PROPERTY O		The second secon
CS ODSA	CTCHT	Ş		Battery: 2x 12V/9Ah				
CS ODSA				Interface: 6x Universal Socket, LED Indicators				
CS ODSA				Size: 125 x 380 x 225mm				
CS ODSA				Weight: 14.8Kg				
CS ODSA				Features: Auto Sensing Frequency, Wide input voltage range, Power on self test, Cold start, Auto-restart, Intelligent battery management, three-stage charging, protection against short circuit, battery overcharge				
CS ODSA								
CS ODSA				With warranty			The second secon	
CS ODSA			7	EXTERNAL USB HDD 2TB	-		4	4 5.500.00
ODSA	14439	S		Type: Shockproof External Portable Drive				Olim in the state of the state
Color: Black / Blue / Red Interface: USB 3.2 Gen1 (backward compatible with USB 2.0) Texture: Plastic / Rubber Operating Votage: DC 5V 900mA Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Killing Included Accessories: USB 3.2 Gen1 cable; Quick Start Guide With warranty	14369	ODSA		Capacity: 2TB				TOTAL STATE OF THE
Interface: USB 3.2 Gen1 (backward compatible with USB 2.0) Texture: Plastic / Rubber Operating Votage: DC 5V 900mA Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kerlincluded Accessories: USB 3.2 Gen1 cable; Quick Start Guide With warranty				Color: Black / Blue / Red				
Texture: Plastic / Rubber Operating Votage: DC 5V 900mA Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kerr Included Accessories: USB 3.2 Gen1 cable; Quick Start Guide With warranty				Interface: USB 3.2 Gen1 (backward compatible with USB 2.0)				
Operating Votage: DC SV 900mA Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kern Included Accessories: USB 3.2 Gen1 cable; Quick Start Guide With warranty				Texture: Plastic / Rubber				
Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kern Included Accessories: USB 3.2 Gen1 cable; Quick Start Guide With warranty				Operating Votage: DC 5V 900mA				
With warranty				Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kernel 2.6 or later	5	2.6 or later	2.6 or later	2.6 or later
				With warranty				

PRICE SCHEDULE
LOT 3
ACCESSORIES AND PERIPHERALS

										14370		-									14215			PR NO.
										CAC											S			END-USER
											9											8		ITEM No.
With warranty	Features: AMD Radeon FreeSync Technology, ZeroFrame Bezels	Power: 100 - 240 V Internal Adapter	Ports: 1x VGA, 2x HDMI, Speakers	Speakers: 2Wx2	Colors: 16.7 million	Contrast ratio: 100 million:1 max (ACM)	Response time: 1ms (VRB)	Native resolution: 1920 x 1080 @ 75Hz	Panel: 23.8-inch IPS 250 nits (cd/m2)	Type: IPS LED FHD 1080p Monitor	LED MONITOR, 24"		With warranty	Included Accessories: USB 3.2 Gen1 cable; Quick Start Guide	Compatibility: Windows 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later (reformatting required for use), Linux Kernel 2.6 or later	Operating Votage: DC 5V 900mA	Texture: Plastic / Rubber	Interface: USB 3.2 Gen1 (backward compatible with USB 2.0)	Color: Black / Blue / Red	Capacity: 1TB	Type: Shockproof External Portable Drive	EXTERNAL USB HDD 1TB		PARTICULARS
				A second									,		or later									MOU
											5											75		QTY
				2							8,800.00											3,800.00	UNIT COST	APPROVED BUDGET FOR THE CONTRACT
				then and some or death on control of the sound of the sound of the sound of							44,000.00											285,000.00	TOTAL COST	DGET FOR THE RACT
								-															UNIT PRICE	BIDDER
				Annual An							,												TOTAL PRICE	BIDDER'S OFFER

PRICE SCHEDULE
LOT 3
ACCESSORIES AND PERIPHERALS

	800,500.00		TOTAL ABC FOR LOT 3	101/				
	•••				amp Life 10,000/eco mode	Lar		
					Contrast Ratio 15,000 : 1	S S		
	and the state of t	And the second second	- manual and another state and a manual and a family and		Resolution XGA	Res	and the second s	
7.77.700 CONT. CON					Color Brightnes 3600 lumens	<u>S</u>	CAC	14377
	92,400.00	30,800.00 9:	3		PROJECTOR	11 PR		
					With warranty	Wit	The state of the s	
					Compatible with social and video calling software of the above system	0		
					Later, Android V6.0 or Later	Lat		
					Works in USB Video Device Class (UVC) Mode: Mac OS 10.6 or Later, Linux OS 2.6 or Later, Chrome OS 6.0 or	₩c		
					Compatible with: Windows 7 /8 / 8.1 / 10 or Later	S		
					USB: USB 2.0	ls:u		
					Frame Rate: 30fps	Fra		
					Output Format: MJPEG	o O		
					Built-in Mic.: Single Digital Mic.	Bui		
					Focus Range: 10cm and Beyond	Foo		
					Focus Type: Auto Focus	Foo		
		***			Viewing Angle: 75 Wide Degrees	Vie		
					Lens Type: Full HD AF Glass Lens	Ler		
					Resolution: Full HD 1080P, 1920*1080 Pixels	Re	S	14215
					Type: FullHD AF 1080p 30fps USB w/ Mic	Tγr	oce	14447
	17,600.00	2,200.00	∞		WEB CAMERA FHD	10 WE		
UNIT PRICE TOTAL PRICE	TOTAL COST UNI	UNIT COST TOTA	_					
BIDDER'S OFFER	OR THE	APPROVED BUDGET FOR THE CONTRACT	QTY	MoM	PARTICULARS	NO.	END-USER	PR NO.
					The second secon			