UNIVERSITY OF THE PHILIPPINES BAGUIO



Governor Pack Road, Baguio City, Benguet, CAR VAT Reg. TIN: 000-864-006-00007 Telephone No. 074.442.3484 Email Address: spmo.upbaguio@up.edu.ph

REQUEST FOR QUOTATION (RFQ)

PROCUREMENT PROJECT: Supply and Delivery of Various IT Equipment for the University Purchase Request No.: 14509; 14485; 14853; 14957 Approved Budget for the Contract: Php 546,189.00

Date: 23 March, 2022 RFQ No.: 2443

MOP: NP-SVP

INSTRUCTIONS:

- 1. Accomplish this RFQ correctly and completely.
- 2. Bidder should attach a copy of the latest Mayor's/ Business Permit, PhilGEPS Registration, Income/Business Tax Return and Notarized Omnibus Sworn Statement.
- 3. Failure to comply with any of the Technical Specifications will disqualify the quotation.
- 4. Submit your quotation at the Supply and Property Management Office, UP Baguio OR may email at jebagsic@up.edu.ph and cc: spmo.upbaguio@up.edu.ph with RFQ No. as part of the subject NOT LATER THAN 5:00 PM on 30 March, 2022.
- 5. Failure to follow these instructions will disqualify your entire quotation.

Please quote your lowest government price (including VAT) on the item/s listed below, and state the time of which you can make delivery. The information stated below shall be the basis for the evaluation and calculation of your quotation.

RODOLFO T SUNAT, JR Chief, SPMO

ITEM NO.	GENERAL DESCRIPTION		MENT OF IANCE TO INICAL ICATION LEASE ECK)	иом	QΤΥ	UNIT PRICE	TOTAL PRICE	QUOTED UNIT PRICE	TOTAL QUOTED PRICE
			NO						
1	Copier/Printer/Scanner			unit	1	80,500.00	80,500.00		
2	Printer, 3-in-1, PSC, Wireless/Duplex		2	unit	1	17,000.00	17,000.00		
3	Printer,all in one A3 printer	- 1		unit	1	50,000.00	50,000.00		
4	Inkjet Printer, Type: All-in-one Print Scan, Copy, Fax, Color Inkjet w/ADF, CISS Print Speed: at least upto 33ppm (black)/20ppm (color) for Draft A4 (Please see attached Specifications)			set	4	23,000.00	92,000.00		
5	EXTERNAL HARD DRIVE, 1TB, 2.5"hdd, USB 3.0			рс	1	2,700.00	2,700.00		
6	Wireless Router, IEEE 802.11ac/n/a 5 GHz, IEEE 802.11n/b/g 2.4 GHz, 5 GHz: 2402 Mbps (802.11ax) 4× Fixed High-Performance Antennas, Multiple antennas form a signalboosting array to cover more directions, Dual-BandAllocate devices to different bands for optimal performance, Dual-Band Allocate devices to different bands for optimal performance, OFDMA, Simultaneously communicates with multiple Wi-Fi 6 clients, Airtime Fairness, Improves network efficiency by limiting excessive occupation, DFS Access an extra band to reduce congestion, 4 Streams, Connect your devices to more bandwidth, Router Mode, Access Point Mode HARDWARE Processor, Dual-Core C			un	1	7,500.00	7,500.00		
7	24- port Gigabit Non-managed POE Switch; Ports: 24-port switch with 12 POE+ ports (ports 1 6 and 13 18) and dedicated POE power budget of 120W; LEDs: Link,speed,activity, and POE indicators; Performance: Full line rate and forwarding rate 1.488 Mpps for 1000M port 0.1488 Mpps for 100M port, 0.01488 Mpps for 10M port, Maximum power consumption:8.69W / 19.27 W, MAC Address Table Size: 8,000 entries, Power Consumption: 7.79 W / 17.65W, Power Input: 100 240 VAC, 50/60 Hz, Power Saving: Cable connected detection, sleep mode, Mounting: Rack, Minimum System Requirements: Connected devices need Ethernet connectivity and Ethernet cables.			un	2	17,594.50	35,189.00		
8	RJ45 Connectors: 8P8C, Pass-thru type, High-quality construction, goldplated contracts, 50pcs per pack (100pcs per box), POE compatible			box	1	500.00	500.00		

ITEM NO.	GENERAL DESCRIPTION	STATEMENT OF COMPLIANCE TO TECHNICAL SPECIFICATION S (PLEASE CHECK)		UOM	QΤY	UNIT PRICE	TOTAL PRICE	QUOTED UNIT PRICE	TOTAL QUOTED PRICE
		YES	NO						
9	Smart Managed Gigabit POE Desktop/Rackmount Switch; LAN Ports: 24xRJ45 10/100/100Mbps (Auto Negotiation/Auto MDI/MDIX),12x POE(100W budget); Switching Capasity: 48Gbps; Packet forwarding Rate: 35.7Mpps; MAC Address Table: 8K;power supply: at least 100-240V AC, auto-voltage, 50/60Hz, Jumbo Supply: at least 10KB, 512KB packet buffer, 8MB flash memory, Network Media:at least 10BASE-T:UTP cat. 3, 4, 5 cable (upto 100m), 100BASE-TX/1000BASE-T: UTP cat. 5, 5e or better (upto 100m), Transfer Method:at least Store and Forward Chassis:at least Metal with mounting features and active fan design at least 12 months manufacturers warranty, web interface, upgradeable firmware.			un	1	22,500.00	22,500.00		
	UPS (High quality,Line-Interactive UPS with MPC,build-in AVR, universal outlets,LED display/ indicators, audible alarm;Output capasity: 2000VA/1200W; Interface:6 universal outlets; Controller:microprocessor based digital control; Display: LED display or LCD display at least with buck and boost voltage stabilizer, Regulation:at least with wide input voltage range (165-295V AC), frequency auto-sensing, Input:at least with wide output voltage range (200-240V AC), frequency auto-sensing, Output:at least 2x 12V/9Ah, sealed, maintenance-free. 6-8Hr recharge, Battery:at least 2x 12V/9Ah, sealed, maintenance-free. 6-8Hr recharge Protection:at least with built-in safety fuse or circuit breaker, over charge, over			un	6	8,500.00	51,000.00		
	UTP LAN Cable: 8P8C, AWG24, 4-pair, high-quality construction, solid copper wire, CAT5e/6, 100Mhz, 305m per box			box	1	6,800.00	6,800.00		
12	Wifi router- (wireless; AX3000 dual band, Gigabit, 2T2R MU-MIMO, WiFi 6, OFDMA; LAN Ports: 4x RJ45 10/100/1000Mbps; WAN Ports:1xRJ45 10/100/1000Mbps; WiFi:4x external omni-directional, beam-forming, highpower FEM; Power supply:12V 2A, auto-voltage; Signal Rates: upto 2402Mbps (5Ghz), upto 574Mbps (2.4Ghz), Firewall/Security:at least DoS, SPI, IP and MAC address binding, ALG Wireless Security:at least WPA2 (PSK and enterprise), WAN Types: at least Dynamic IP, Static IP, PPPOE, PPTP, L2TP, Management: at least with webbased Access Control, Local Management, Remote Management Supported Protocols:at least IPv4 and IPv6, QoS, Guest Network: at least one each for 2.4Ghz and 5Ghz, Firmware:at least user upgradable			un	19	8,000.00	152,000.00		
13	PRINTER: Type-Print, Scan, Copy; Rated Voltage:220 - 240V, Rated Frequency:50 - 60 Hz; Paper Size:Legal, 8.5 x 13 ", Letter, A4, 195 x 270 mm, B5, A5, A6, 100 x 148 mm, B6, 5 x 7 ", 4 x 6 "; Scanner Type: Flatbed colour image scanner			рс	1	14,000.00	14,000.00		
14	UPS: Power Capacity - 1600VA/900W, In/Output Voltage - 230V, with AVR, Topology - Line Interactive, Battery Type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte, Software: PowerChute Personal Edition			рс	1	14,500.00	14,500.00		
	-Delivery Period: within 30 calendar days upon receipt of Purchase Order								
	-PLEASE INDICATE WARRANTY OFFERED FOR THE ITEM								
- 1	-xxx Nothing Follows xxx-								

After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.

Name of the Company:	Tel. No. :
Address:	Fax No. :
Name of Representative:	Email Address:
Position:	
Signature:	Date:

1. Copier/Printer/Scanner

Copier with Printer/Scanner capability, Memory cap 512MB scan Res. 600x600dpi Printing Res 600x600dpi, Bypass Tray: A3, Min.A5, duplex capable,2-tray Module, Power SupplyAC220-240V, MaxPowerConsumptionAC220 V: 1.3kW, Toner consumable, at least LAN and WiFi network capable, at least with local service center

2. Printer, 3-in-1, PSC, Wireless/Duplex

Type	All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS					
Print Speed	at least upto 33ppm (black) / 15ppm (color) for Draft A4					
Copy Speed	at least upto 7.7ipm (black) / 3.8ipm (color) for A4 Simplex Flatbed					
Print Resolution	at least 5760 x 1440 dpi with variable-sized droplet technology					
Nozzle Configuration	at least 180 nozzles Black, 59 nozzles per colour (Cyan, Magenta, Yellow)					
Display / Console	at least 1.44" Color LCD					
Scanner Optical						
Resolution	at least 1200 x 2400 dpi, 48-bit color					
Scanner Speed	at least 200dpi Black: 12 sec / 4.5 ipm, 200dpi Colour: 29 sec / 4.5 ipm					
ADF Paper						
Capacity	at least 30 pages (A4), 10 pages (Legal)					
Maximum Copy Resolution	at least 600 x 600 dpi					
OS	at least compatible with Windows and Mac OS					
Photo Printing	at least borderless upto 4R, 90s printout					
Ink Tank System	at least spill-free and error-free refilling					
Connectivity	at least USB 2.x, WiFi, WiFi Direct and LAN					
Other	at least 12 months manufacturer's warranty					

3. Printer, all in one A3 printer

Print method: PrecisionCore Print head; Maximum print resolution: 4800x1200 dpi;Copy resolution: 600x600 dpi

4. Inkjet Printer, Type: All-in-one Print Scan, Copy, Fax, Color Inkjet w/ADF, CISS Print Speed: at least upto 33ppm (black)/20ppm (color) for Draft A4 (Please see attached Specifications)

Туре	All-in-One, Print, Scan, Copy, Fax, Color Inkjet w/ ADF, CISS
Print Speed	at least upto 33ppm (black) / 20ppm (color) for Draft A4
Copy Speed	at least upto 11ipm (black) / 5.5ipm (color) for A4 Simplex
Print Resolution	at least 4800 x 1200 dpi with variable-sized droplet technology
Nozzle Configuration	at least 400 nozzles Black, 128 nozzles per colour (Cyan, Magenta, Yellow)
Display / Console	at least 2.4" Color LCD Touch Panel
Scanner Optical Resolution	at least 1200 x 2400 dpi, 48-bit color
Scanner Speed	at least 200dpi Black: 12 sec / 5 ipm, 200dpi Colour: 27 sec / 5 ipm
ADF Paper Capacity	at least 30 pages (A4), 10 pages (Legal)
Maximum Copy Resolution	at least 600 x 1200 dpi
OS	at least compatible with Windows and Mac OS
Photo Printing	at least borderless upto A4, 92s printout
Ink Tank System	at least spill-free and error-free refilling
Connectivity	at least USB 2.x, WiFi, WiFi Direct and LAN
Other	at least 12 months manufacturer's warranty