SUPPLEMENTAL/BID BULLETIN

Republic of the Philippines UNIVERSITY OF THE PHILIPPINES Governor Pack Road, Baguio City (074) 446-9973/ 442-3888/ 442-3484 Website: www.upb.edu.ph; E-mail: bac.upb@up.edu.ph

ADDENDUM 2019-04

SUPPLY, DELIVERY, AND INSTALLATION OF VARIOUS GYM EQUIPMENT FOR UP BAGUIO

28 May 2019

This Addendum No. 2019-04 is issued to modify specifications in the attached Bid Documents and Bill of Quantities for the Project. This shall form an integral part of the Bid Documents.

	Original	Revised
Section III. Bid Data Sheet ITB Clause 13.2	The total ABC is Seven Million Five Hundred Fourteen Thousand Four Hundred Pesos (Php7,514,400.00)	The total ABC is Seven Million Five Hundred Fourteen Thousand Four Hundred Pesos (Php7,514,400.00)
	Any bid with a financial component exceeding the amount for each lot shall not be accepted.	Any bid with a financial component exceeding the amount for each item shall not be accepted.
Section III. Bid Data Sheet ITB Clause 28.3 (a)	All Goods are grouped in lots as listed in summary of technical specifications. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a	Partial bid is allowed. Evaluation and contract award will be undertaken on per item basis.
	per lot basis.	Please indicate NO BID or NONE for items with no bid submission. Specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free
	In all cases, the NFCC computation, if applicable, must be sufficient for all each lot/item or contracts to be awarded to the Bidder.	to the Procuring Entity.
		The NFCC computation must be sufficient for all items to be awarded to the Bidder.
Checklist of Documentary	2 Statement of all its ongoing and completed government and private	2 Statement of all its ongoing government and private contracts
Requirements	contracts	

Checklist of Documentary Requirements 10	Brochures/manuals/illustrations/catalogues	Brochures/manuals/illustrations/catalogues, if any
Section I. Invitation to Bid	FOR THE SUPPLY, DELIVERY AND INSTALLATION OF VARIOUS VARIOUS GYM EQUIPMENT FOR UP BAGUIO	FOR THE SUPPLY, DELIVERY AND INSTALLATION OF VARIOUS GYM EQUIPMENT FOR UP BAGUIO
Section I. Invitation to Bid 2	The University of the Philippines Baguio now invites bids for the SUPPLY, DELIVERY, AND INSTALLATION OF VARIOUS GYM EQUIPENT FOR UP BAGUIO. Delivery of the Goods is required within FIFTEEN (15) CALENDAR DAYS upon receipt of Notice to Proceed. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.	The University of the Philippines Baguio now invites bids for the SUPPLY, DELIVERY, AND INSTALLATION OF VARIOUS GYM EQUIPENT FOR UP BAGUIO. Delivery of the Goods is required within FIFTEEN (15) to SIXTY (60) CALENDAR DAYS upon receipt of Notice to Proceed. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
Section I. Invitation to Bid 7	 Bids must be duly received by the BAC Secretariat at the address below on or before 5 June 2019 (1:30 pm). All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18. Bid opening will follow at 2:00 PM on 5 June 2019 at Board Room, 2/F Iskolar ng Bayan Building, University of the Philippines Baguio. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address above. Late bids shall not be accepted. 	Bids must be duly received by the BAC Secretariat at the address below on or before 7 June 2019 (8:30 pm). All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18. Bid opening will follow at 9:00 AM on 7 June 2019 at Board Room, 2/F Iskolar ng Bayan Building, University of the Philippines Baguio. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address above. Late bids shall not be accepted.
Section III. Bid Data Sheet 17.1	Bids will be valid until October 3, 2019 from the opening of Bids.	Bids will be valid until <mark>October 5, 2019</mark> .
Section III. Bid Data Sheet 18.2	The bid security shall be valid until October 3, 2019 from the opening of the bids.	The bid security shall be valid until <mark>October 5, 2019</mark> .
Section III. Bid Data Sheet 21	The deadline for submission of bids is 1:30 PM. 5 June 2019	The deadline for submission of bids is <mark>8:30 AM</mark> . <mark>7 June 2019</mark>
Section III. Bid Data Sheet 24.1	The date and time of bid opening is 5 June 2019 at 2:00 PM.	The date and time of bid opening is <mark>7 June 2019</mark> at <mark>9:00 AM.</mark>

		Original				Revised					
Section VI. Schedule of Requiremen ts	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty	1	set	15 Calendar Days	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty	1	set	15 Calendar Days	
	2	LANDMINE BARBELL ATTACHMENT Heavy Gauge Steel, axle pivot point, full 360degree swivel, can be attached to 2" or 2.5" pole, Suitable for commercial use, 3 Years warranty	1	set	15 Calendar Days	2	LANDMINE BARBELL ATTACHMENT Heavy Gauge Steel, axle pivot point, full 360degree swivel, can be attached to 2" or 2.5" pole, Suitable for commercial use, 3 Years warranty	1	set	15 Calendar Days	
	3	OLYMPIC BAR 28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years warranty	7	рс	15 Calendar Days	3	OLYMPIC BAR 28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years warranty	7	рс	15 Calendar Days	
	4	OLYMPIC BAR 25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years warranty	5	рс	15 Calendar Days	4	OLYMPIC BAR 25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years warranty	5	рс	15 Calendar Days	
	5	BARBELL COLLAR 50mm, solid injection molded nylon frame and thick molded pressure pads	11	pair s	15 Calendar Days	5	BARBELL COLLAR 50mm, solid injection molded nylon frame and thick molded pressure pads	<mark>13</mark>	pairs	15 Calendar Days	
	6	BARBELL HOLDER 45mm x 46mm x 19mm 7-gauge Steel, 9 bar holder	2	рс	15 Calendar Days	6	BARBELL HOLDER 45mm x 46mm x 19mm 7-gauge Steel, 9 bar holder	2	рс	15 Calendar Days	
	7	BARBELL FOAM PAD 17" Neck pad, 3/4" Dense Foam, Synthetic Leather Material	4	рс	15 Calendar Days	7	BARBELL FOAM PAD 17" Neck pad, 3/4" Dense Foam, Synthetic Leather Material	4	рс	15 Calendar Days	
	8	DUMBLE SET WITH 3- TIER RACK includes a pair of 5lb, 10lb, 15lb, 20lb knurled handles for non-slip grip; heavy duty 3 tier rack 1520mmLx 572mmW x 812mmH, full commercial grade, 3 years warranty	2	set	15 Calendar Days	8	DUMBBELL SET WITH 2- TIER RACK includes 10 pairs of dumbbell with varying weights ranging to 2.5 kg to 25 kg, knurled handles for non-slip grip; heavy duty 3 tier rack, full commercial grade, 3 years warranty on rack and 1 year warranty on dumbbell	1	set	15 Calendar Days	
	9	KETTLE BELL SET WITH RACK includes kettlebells per pair: 4kg, 6kg, 8kg, 12kg, 16kg, 20kg, 24kg, full commercial grade, 3 years warranty	2	set	15 Calendar Days	9	KETTLE BELL SET WITH RACK includes 7 pairs kettle bells per pair varying weight ranging from 4- 24 kg, full commercial grade, 3 years warranty	2	set	15 Calendar Days	
	10	MEDICINE BALL 6LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	set	15 Calendar Days	<mark>10</mark>	MEDICINE BALLS WITH RACK Includes 3kg, 4kg, 5kg, 6kg, and 7kg Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For swinging, hitting and throwing, 3 years warranty in rack and 1 year warranty in medicine ball	1	cot.	15 Calendar Days	
	11	MEDICINE BALL 8LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	set	15 Calendar Days		medicine ball	1	set	15 Calendar Days	

12	MEDICINE BALL 10LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and	2	set	15 Calendar Days					
13	throwing, 3 years warranty MEDICINE BALL 12LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	set	15 Calendar Days					
14	MEDICINE BALL 15LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	5	set	15 Calendar Days					
15	STABILITY HALF BALL Slip resistant, durable and elastic high quality PVC material, anti-burst technology, max user capacity: 280- 400 KG	5	рс	15 Calendar Days	<mark>11</mark>	STABILITY HALF BALL Slip resistant, durable and elastic high quality PVC material, anti- burst technology, max user capacity: 159 KG	2	рс	15 Calendar Da
16	EXERCISE BALL 2000lb rating, non-toxic PVC Material, Non slip Ribbed body,55 cm	5	рс	15 Calendar Days	<mark>12</mark>	EXERCISE BALL non-toxic PVC Material, Non slip Ribbed body,55 cm	2	рс	15 Calendar Da
17	EXERCISE BALL 2000lb rating, non-toxic PVC Material, Non slip Ribbed body,65 cm	5	рс	15 Calendar Days	<mark>13</mark>	EXERCISE BALL non-toxic PVC Material, Non slip Ribbed body,65 cm	<mark>3</mark>	рс	15 Calendar Da
18	AGILITY LADDER 15ft long x 17" wide, 11 heavy duty plastic rungs, include carry bag	2	set	15 Calendar Days	<mark>14</mark>	AGILITY LADDER 15ft long x 17" wide, 11 heavy duty plastic rungs, include carry bag	1	set	15 Calendar Da
19	JUMP ROPES 3m adjustable rope length, center-mounted swivel	4	рс	15 Calendar Days	<mark>15</mark>	JUMP ROPES 3m adjustable rope length, center-mounted swivel, non-toxic PVC	4	рс	15 Calendar Da
20	AB WHEELS non-skid wheels, rubberized handle, lightweight and portable	4	рс	15 Calendar Days	<mark>16</mark>	AB WHEELS non-skid wheels, rubberized handle, lightweight and portable	4	рс	15 Calendar Da
21	SUSPENSION TRAINER includes straps, nylon carrying bag	4	set	15 Calendar Days	<mark>17</mark>	SUSPENSION TRAINER high quality straps, nylon carrying bag	<mark>4</mark>	set	15 Calendar Da
22	RESISTANCE BAND Anti-snap technology, 20-40lb resistance weight	2	set	15 Calendar Days	<mark>18</mark>	RESISTANCE BAND 20-40lb resistance weight	2	set	15 Calendar Da
23	RESISTANCE BAND Anti-snap technology, 40-80lb resistance weight	2	set	15 Calendar Days	<mark>19</mark>	RESISTANCE BAND 40-80lb resistance weight	2	set	15 Calendar Da

24	RESISTANCE BAND Anti-snap technology, 50-120lb resistance weight	2	set	15 Calendar Days	<mark>20</mark>	RESISTANCE BAND 50-120lb resistance weight	2	set	15 Calendar Days
25	RESISTANCE BAND Anti-snap technology, 60-150lb resistance weight	2	set	15 Calendar Days	<mark>21</mark>	RESISTANCE BAND 60-150lb resistance weight	2	set	15 Calendar Days
26	AGILITY CONE SET set of 20, fade resistant, includes carry rack	2	set	15 Calendar Days	<mark>22</mark>	AGILITY CONE SET set of 20, fade resistant, includes carry rack	2	set	15 Calendar Day
27	ARTIFICIAL GRASS TURF 2mx10m, free from lead and other heavy metal substances, pile height:10mm, stitch rate:24stitches/10cm	1	set	15 Calendar Days	<mark>23</mark>	ARTIFICIAL GRASS TURF 2mx10m, free from lead and other heavy metal substances, pile height:10mm, stitch rate:24stitches/10cm	1	set	15 Calendar Day
28	BATTLE ROPE WITH ANCHOR sheathed with nylon sleeves,40ft,include wall anchor bolt	2	set	15 Calendar Days	<mark>24</mark>	BATTLE ROPE WITH ANCHOR with nylon <mark>sleeved handles,20 meters length</mark> ,include wall anchor bolt, for men (50mm)	<mark>1</mark>	set	15 Calendar Day
					<mark>25</mark>	BATTLE ROPE WITH ANCHOR with nylon sleeved handles,20 meters length,include wall anchor bolt, for women (38mm)	<mark>1</mark>	<mark>Set</mark>	<mark>15 Calendar Da</mark>
29	FOAM ROLLER High Density Expanded Polypropylene(EPP) supports up to 300lb, set includes Soft, Firm and Extra firm Barrel Roller	2	set	15 Calendar Days	<mark>26</mark>	FOAM ROLLER High Density Expanded Polypropylene(EPP) supports up to 300lb, set includes Soft, Firm and Extra firm Barrel Roller	2	set	15 Calendar Da
30	SPEED HURDLES 6" hurdles on set of 6pcs, anti-shatter design, bounce- back construction	4	set	15 Calendar Days	<mark>27</mark>	SPEED HURDLES 6" hurdles on set of 6pcs, anti-shatter design, bounce-back construction	4	set	15 Calendar Da
31	TRAP BAR Fits 2" Olympic Plates, knurled handles, 44lb weight,56"overall length, 500lb weight capacity	2	set	15 Calendar Days	<mark>28</mark>	TRAP BAR Fits 2" Olympic Plates, knurled handles, 44lb weight,56"overall length, 500lb weight capacity	2	set	15 Calendar Da
32	OLYMPIC WEIGHT SET rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg, 25kg plates	4	set	15 Calendar Days	<mark>29</mark>	OLYMPIC WEIGHT SET rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg, 25kg plates	4	set	15 Calendar Day
33	PLATE RACK maximum weight of 300-450lb, powder coated finish, triangular in design,	4	рс	15 Calendar Days	<mark>30</mark>	PLATE RACK maximum weight of 300-450lb, powder coated finish, triangular in design,	4	рс	15 Calendar Day
34	Utility Bench For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller pads, boxed upholstery, high- density foam, 3 years warranty	4	рс	15 Calendar Days	<mark>31</mark>	Utility Bench For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller pads, boxed upholstery, high-density foam, 3 years warranty on frame, weight not less than 70 lbs	<mark>4</mark>	рс	15 Calendar Da

35	PLYOMETRIC BOX SET Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm, 45cm, 60cm	2	рс	15 Calendar Days	<mark>32</mark>	PLYOMETRIC BOX SET Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm, 45cm, 60cm	2	<mark>set</mark>	15 Calendar Day
36	TIRE FLIP MACHINE Commercial-grade steel construction, 129kg unit weight- weight plates not included, include 2-battle rope, 3 years warranty	1	рс	15 Calendar Days	<mark>33</mark>	TIRE FLIP MACHINE Commercial-grade steel construction, 129kg unit weight (weight plates not included), include 2-battle rope, 3 years warranty on frame	1	рс	15-60 Calendar Days
37	POWER RACK Multi-Function Fitness Squat, adjustable safety support bars, steel frame with scratch proof powder coated finish, Pull up bar is of 51" solid steel with capacity of 450lbs; two liftoffs and two safety rods, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>34</mark>	POWER RACK Multi-Function Fitness Squat, adjustable safety support bars, steel frame with scratch proof powder coated finish, Pull up bar is of 51" solid steel with capacity of 450lbs; two liftoffs and two safety rods, suitable for commercial use, <mark>3 year warranty on frame</mark> , ISO 9001 Certified	1	set	15-60 Calendar Days
38	TREADMILL Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or higher, Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power Requirements: 20-amp dedicated circuit required and non-looped grounded, Maximum User Weight: 155-160 kg, Compatible with Virtual Active programming, With 15-20" touchscreen LCD, Virtual Active Compatible, Pause function, with USB port, Ultimate hard-wax reversible 1" deck, Step-on height: 16-22 cm, Contact and telectric Heart Rate, For commercial use, 5 years warranty, ISO 9001 Certified	2	pc	15 Calendar Days	35	TREADMILL Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or higher, Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power Requirements: 20-amp dedicated circuit required and non- looped grounded, Maximum User Weight: 155-160 kg, Compatible with Virtual Active programming, With 15-20" touchscreen LCD, Virtual Active Compatible, Pause function, with USB port, Ultimate hard-wax reversible 1" deck, Step-on height: 16-22 cm, Contact and telectric Heart Rate, For commercial use, 5 years warranty, 4-5 hp, ISO 9001 Certified	2	pc	15-60 Calendar Days
39	ELLIPTICAL MACHINE 25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand pulse and HR Receiver, Standard resistance level control, Maximum User Weight: 180-190 kg, Stride: 50cm, Self-powered, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	2	set	15 Calendar Days	<mark>36</mark>	ELLIPTICAL MACHINE 20-25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand pulse and HR Receiver, Standard resistance level control:20-25, Maximum User Weight: 160-190 kg, Stride: 50cm, Self-powered, Suitable for commercial use, 3 years warranty on frame, ISO 9001 Certified	2	<mark>рс</mark>	15-60 Calendar Days
40	SMITH MACHINE Frame Finish: Proprietary two-coat powder process, Bar travelling limited to 27-29" from the floor, 5-8 integrated weight storage horns, Starting Weight: 20 kg, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>37</mark>	SMITH MACHINE Frame Finish: Powder Coated, Bar travelling limited to 27-29" from the floor, 5-8 integrated weight storage horns, Starting Weight: 20 kg, Suitable for commercial use, 3 years warranty on frame, ISO 9001 Certified	1	set	<mark>15-60 Calendar</mark> Days

41	LAT PULLDOWN/ LOW ROW MACHINE Plate-Loading, Dual Weight Stacks: 2 x 115 lbs., Commercial grace center drilled weight stacks, Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all pull points using a commercial grade bearing, Suitable for Commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	38	LAT PULLDOWN/ LOW ROW MACHINE Selectorized, Single Weight Stacks, Commercial grade center drilled weight stacks, Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all pull points using a commercial grade bearing, Suitable for Commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set	<mark>15-60 Calend</mark> Days
42	LEG EXTENSION/LEG CURL MACHINE Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high grade naugahyde, Weight Stacks: 2 x 110 lbs. (1:1 ratio for 110 lbs. per leg), Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>39</mark>	LEG EXTENSION/LEG CURL MACHINE Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high grade naugahyde, Single Weight Stack, Suitable for commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set	<mark>15-60 Calend</mark> Days
43	ABDUCTOR/ ADDUCTOR MACHINE Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack guards, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>40</mark>	ABDUCTOR/ ADDUCTOR MACHINE Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack guards, Suitable for commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set	<mark>15-60 Calenc</mark> Days
44	SPINNING BIKE Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual Pedal design with SPD and toe cage, Adjustments: Up/down-reliable pop-pin adjustments and fore/aft-nob tightening micro adjustments, Maximum User Weight: 300-400 lbs., Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3 years warranty, ISO 9001 certified	3	set	15 Calendar Days	<mark>41</mark>	SPINNING BIKE Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual Pedal design with SPD and toe cage, Adjustments: Up/down-reliable pop-pin adjustments and fore/aft- nob tightening micro adjustments, Maximum User Weight: 300- 400 lbs, Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3 years warranty on frame, ISO 9001 certified	3	set	<mark>15-60 Calenc</mark> Days
45	PEC FLY/ REAR DELT MACHINE Frame Finish: proprietary tow-coat powder process, Total stack weight: Heavy- 91 kg; Light- 68kg, Consistent Stack Height, Weight Stack guarding: Full front and rear shields, Cable transmission: Internally lubricated cables and fittings, Color coded pivots and points of adjustment, Suitable for commercial use, 3 years warranty, ISO 9001 certified	1	set	15 Calendar Days	<mark>42</mark>	PEC FLY/ REAR DELT MACHINE Frame Finish: Powder Coated, Total stack weight: Heavy- 91 kg; Light- 68kg, Consistent Stack Height, Weight Stack guarding: Full front and rear shields, Cable transmission: Internally lubricated cables and fittings, Color coded pivots and points of adjustment, Suitable for commercial use, 3 years warranty on frame, ISO 9001 certified	1	set	<mark>15-60 Calenc</mark> Days

46	CABLE CROSSOVER MACHINE Frame Finish: Proprietary two-coat powder process, Over- sized Frame Tubing, Weight Stack: 2 x 200 lbs., Solid cold- rolled steel plate with inner brushing, Suspension: 3-point design, Color-coded Pivots and Adjusts, Low row and lat pulldown have dual pulley configurations for greater training variety, 2-5 configurations, Suitable for Commercial use, 3 years warranty, ISO 9001 certified	1	set	15 Calendar Days	<mark>43</mark>	CABLE CROSSOVER MACHINE Frame Finish: Powder Coated, Over-sized Frame Tubing, Weight Stack: 2 x 200 lbs, Solid cold-rolled steel plate with inner brushing, Suspension: 3-point design, Color-coded Pivots and Adjusts, Low row and lat pulldown have dual pulley configurations for greater training variety, 2-5 configurations, Suitable for Commercial use, 3 years warranty, Weight Stack guarding: Full front and rear, ISO 9001 certified	1	set	<mark>15-60 Calendar</mark> Days
47	HACK SQUAT MACHINE Frame Finish: Proprietary two-coat powder process, Maximum User Weight: 110-160 kg, Maximum Training Weight: 230-245 kg, Starting Resistance: 46-50 kg, Suitable for Commercial use, 3 years warranty, ISO 9001 certified	1	set	15 Calendar Days	<mark>44</mark>	HACK SQUAT MACHINE WITH PLATE SET Frame Finish: Powder Coated, Maximum User Weight: 110-160 kg, Maximum Training Weight: 230-245 kg, Starting Resistance: 46-50 kg, Suitable for Commercial use, 3 years warranty, ISO 9001 certified	1	set	<mark>15-60 Calendar</mark> Days
48	REVERSE LEG EXTENSION Frame finish: Proprietary two-coat powder process, Internally lubricate cables and fittings, Machine anchoring locations, Standard Stack: 160 lbs Heavy Stack: 160 lbs Suitable for commercial use, 3 years warranty, ISO 9001 certified	1	set	15 Calendar Days	<mark>45</mark>	RECUMBENT BIKE Flywheel: 9-11kg, User Weight Capacity: 150-170kg, Pedal Spacing- 190-200 mm, Resistance: 10-20 Electric Setting, Frame type: Recumbent, Workout Program: 10-15, Seat Type: Comfort Arc with mesh seatback, Seat Adjustment: Fore/aft via easy adjust lever, Pedal type: Self-balancing pedals with adjustable straps, User Weight Capacity: 150-160 lbs, User Weight Height Range: 140 cm- 200 cm, Power Supply: 12V/ 2A Power Adapter	1	set	<mark>15-60 Calendar</mark> Days
49	GLUTE HAM RAISE Weight: 70kg, 914 mm x 1562 mm x 1477 mm, Power coated steel frame, Plate loaded, Vertical and horizontal adjustments, Suitable for commercial use, Electrostatic powder-coated and heat cured for super durability, ISO 9001 certified	1	set	15 Calendar Days	<mark>46</mark>	GLUTE HAM RAISE BENCH Weight: 70kg, Powder coated steel frame, Vertical and horizontal adjustments, Suitable for commercial use, Electrostatic powder- coated and heat cured for super durability, ISO 9001 certified	2	set	<mark>15-60 Calendar</mark> Days
50	FLAT BENCH PRESS WITH RACK Power coated steel frame, Structural Steel Framework, Vertical Racking system which can accommodate both Men's and Women's Olympic sized bars, Flat padded seat, 3-5 Racking points, Maximum User Weight: 140-160 kg, 3 years warranty, suitable for commercial use, ISO 9001 Certified	1	set	15 Calendar Days	<mark>47</mark>	FLAT BENCH PRESS Powder coated steel frame, Structural Steel Framework, Vertical Racking system which can accommodate both Men's and Women's Olympic sized bars, Flat padded seat, 3-5 Racking points, Maximum User Weight: 140-160 kg, 3 years warranty, suitable for commercial use, ISO 9001 Certified	1	set	15-60 Calendar Days

51	DECLINE BENCH PRESS WITH RACK Power Coated Steel frame, Structural Steel Framework, Vertical racking system which will accommodate both Men's and Women's Olympic Sized Bar, Padded seat and upper body rest, Adjustable leg rollers, 3-5 racking points, suitable for commercial use, ISO 9001 Certified	1	set	15 Calendar Days	<mark>48</mark>	DECLINE BENCH PRESS WITH HORN AND PLATE SET Powder Coated Steel frame, Structural Steel Framework, Vertical racking system which will accommodate both Men's and Women's Olympic Sized Bar, Padded seat and upper body rest, Adjustable leg rollers, 3-5 racking points, suitable for commercial use, ISO 9001 Certified	1	set	<mark>15-60 Calendar</mark> Days
52	INCLINE BENCH PRESS WITH RACK Power Coated Steel Frame, Structural Steel Framework, Plate loaded, Electrostatic powder-coated and heat cured, 55-70 mm thick seats and padding, Maximum Weight Capacity: 280-320 kg, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>49</mark>	INCLINE BENCH PRESS WITH HORN AND PLATE SET Powder Coated Steel Frame, Structural Steel Framework, Plate loaded, Electrostatic powder-coated and heat cured, 55-70 mm thick seats and padding, Maximum Weight Capacity: 280-320 kg, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>15-60 Calendar</mark> Days
53	45 DEG LEG PRESS Proprietary two-coat powder process, Maximum user weight: 150-170 kg, Plate loaded, Adjustable bottol stops provide long or shot ranges of motion for all heigh users, Adjustable back pad, Assistance handle on platform, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	15 Calendar Days	50	45 DEG LEG PRESS Powder Coated Finish, Maximum user weight: 150-170 kg, Plate loaded, Adjustable bottom stops provide long or short ranges of motion for all height users, Adjustable back pad, Assistance handle on platform, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	<mark>15-60 Calendar</mark> Days
54	SHOULDER PRESS BENCH Frame Finish: Proprietary two-coat powder process, Maximum User weight: 150-165 kg, Maximum Training Weight: 200-210 kg, Dual-grip pressing positions, Ratcheting Seat, 4 integrated weight-storage horns, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	51	SHOULDER PRESS BENCH Frame Finish: Powder Coated, Maximum User weight: 150-165 kg, Maximum Training Weight: 200-210 kg, Dual-grip pressing positions, 4 integrated weight-storage horns, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>15-60 Calendar</mark> Days
55	SEATED PREACHER CURL Frame Finish: Proprietary two-coat powder process, Over- sized frame tubing, Angled seat pad at 10º, Angled elbow pad at 55º, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	<mark>set</mark>	<mark>15</mark> Calendar Days					
56	ROMAN CHAIR/ Arm Curl Frame Finish: Proprietary two-coat powder process, Over- sized Internal Frame Tubing, Angle hand grips, Arm pad is angled, 3-point design suspension, With guards and pulleys covers, magnetic and tethered weight pins, Solid cold-rolled steel plate with inner bushings, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>52</mark>	STANDING PREACHER CURL WITH BAR, PLATE SET, AND COLLARS Frame Finish: Powder Coated, Over-sized Internal Frame Tubing, Angle hand grips, Arm pad is angled, 3-point design suspension, With guards and pulleys covers, magnetic and tethered weight pins, Solid cold-rolled steel plate with inner bushings, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	<mark>15-60 Calendar</mark> Days

57	KNEE RAISE Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>53</mark>	VERTICAL KNEE RAISE WITH BENCH Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>15-60 Calenda</mark> Days
58	BENCH ABS Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	<mark>54</mark>	BENCH ABS Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>15-60 Calenda</mark> Days
59	OLYMPIC BENCH Frame Finish: Proprietary two-coat powder process, Over- sized frame tubing, Multiple weight take-off points are spread 6" inches apart, Standard weight storage, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	55	FLAT BENCH Frame Finish: Powder Coated, Over-sized frame tubing, suitable for commercial use, 3 years warranty, ISO 9001 Certified	<mark>3</mark>	set	<mark>15-60 Calenda</mark> Days
60	ADJUSTABLE CRUNCH Frame finish: Proprietary two-coat powder process, Color- coded adjustment points, heavy gauge steel tubing, Adjustable leg pad, Protective molded guards in high wear/scuff areas, Pivots into 5-8 different positions from 0 to 25 degrees, elevated knee position, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days	56	ADJUSTABLE DECLINE BENCH Frame Finish: Powder Coated, Over-sized Frame Tubing, Product Weight: Atleast 30kg, 3 years warranty on frame, ISO 9001 Certified	1	set	<mark>15-60 Calend</mark> Days
61	45 DEGREE HYPEREXTENSION/ Back Extension Bench Frame Finish: Proprietary two-coat powder process, Over- sized frame tubing, 8-10 positions of adjustment, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	15 Calendar Days					
					<mark>57</mark>	ABS CRUNCH BENCH Frame Finish: Powder Coated, Product Weight: 55 kg – 70kg, Maximum User Weight: atleast 150 kg, Maximum Training Weight: atleast 30kg, Starting Resistance: 10kg, Weight horn accommodates atleast 12kg plates, 3 years warrant on frame, ISO 9001 Certified	2	Set	<mark>15-60 Calen</mark> Days

		Original		Revised
Section VII. Statement of	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty
Compliance	2	LANDMINE BARBELL ATTACHMENT Heavy Gauge Steel, axle pivot point, full 360degree swivel, can be attached to 2" or 2.5" pole, Suitable for commercial use, 3 Years warranty	2	LANDMINE BARBELL ATTACHMENT Heavy Gauge Steel, axle pivot point, full 360degree swivel, can be attached to 2" or 2.5" pole, Suitable for commercial use, 3 Years warranty
	3	OLYMPIC BAR 28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years warranty	3	OLYMPIC BAR 28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years warranty
	4	OLYMPIC BAR 25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years warranty	4	OLYMPIC BAR 25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years warranty
	5	BARBELL COLLAR 50mm, solid injection molded nylon frame and thick molded pressure pads	5	BARBELL COLLAR 50mm, solid injection molded nylon frame and thick molded pressure pads
	6	BARBELL HOLDER 45mm x 46mm x 19mm 7-gauge Steel, 9 bar holder	6	BARBELL HOLDER 45mm x 46mm x 19mm 7-gauge Steel, 9 bar holder
	7	BARBELL FOAM PAD 17" Neck pad, 3/4" Dense Foam, Synthetic Leather Material	7	BARBELL FOAM PAD 17" Neck pad, 3/4" Dense Foam, Synthetic Leather Material
	8	DUMBLE SET WITH 3- TIER RACK includes a pair of 5lb, 10lb, 15lb, 20lb knurled handles for non-slip grip; heavy duty 3 tier rack 1520mmLx 572mmW x 812mmH, full commercial grade, 3 years warranty	8	DUMBBELL SET WITH 2- TIER RACK includes 10 pairs of dumbbell with varying weights ranging to 2.5 kg to 25 kg, knurled handles for non-slip grip; heavy duty 3 tier rack, full commercial grade, 3 years warranty on rack and 1 year warranty on dumbbell
	9	KETTLE BELL SET WITH RACK includes kettlebells per pair: 4kg, 6kg, 8kg, 12kg, 16kg, 20kg, 24kg, full commercial grade, 3 years warranty	9	KETTLE BELL SET WITH RACK includes 7 pairs kettle bells per pair varying weight ranging from 4-24 kg, full commercial grade, 3 years warranty
	10	MEDICINE BALL 6LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	<mark>10</mark>	MEDICINE BALLS WITH RACK Includes 3kg, 4kg, 5kg, 6kg, and 7kg Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For swinging, hitting and throwing, 3 years warranty in rack and 1 year warranty in medicine ball
	11	MEDICINE BALL 8LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty		
	12			
	13	MEDICINE BALL 12LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty		

14	MEDICINE BALL		
14	15LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For		
	slamming, swinging hitting and throwing, 3 years warranty		
15	STABILITY HALF BALL	11	STABILITY HALF BALL
15	Slip resistant, durable and elastic high quality PVC material, anti-burst technology, max		Slip resistant, durable and elastic high quality PVC material, anti-burst technology, max
	user capacity: 280-400 KG		user capacity: 159 KG
16	EXERCISE BALL	<mark>12</mark>	EXERCISE BALL
10	2000lb rating, non-toxic PVC Material, Non slip Ribbed body,55 cm	1 2	non-toxic PVC Material, Non slip Ribbed body,55 cm
17	EXERCISE BALL	<mark>13</mark>	EXERCISE BALL
17	2000lb rating, non-toxic PVC Material, Non slip Ribbed body,65 cm		non-toxic PVC Material, Non slip Ribbed body,65 cm
18		14	AGILITY LADDER
10	AGILITY LADDER		15ft long x 17" wide, 11 heavy duty plastic rungs, include carry bag
	15ft long x 17" wide, 11 heavy duty plastic rungs, include carry bag		
19	JUMP ROPES	<mark>15</mark>	JUMP ROPES
	3m adjustable rope length, Center-mounted swivel		3m adjustable rope length, center-mounted swivel, non-toxic PVC
20	AB WHEELS	16	AB WHEELS
	non-skid wheels, rubberized handle, lightweight and portable		non-skid wheels, rubberized handle, lightweight and portable
21	SUSPENSION TRAINER	17	SUSPENSION TRAINER
	includes straps, nylon carrying bag		high quality straps, nylon carrying bag
22		<mark>18</mark>	RESISTANCE BAND
	RESISTANCE BAND		20-40lb resistance weight
	Anti-snap technology, 20-40lb resistance weight		
23	RESISTANCE BAND	<mark>19</mark>	RESISTANCE BAND
	Anti-snap technology, 40-80lb resistance weight		40-80lb resistance weight
24		20	RESISTANCE BAND
24	RESISTANCE BAND		50-120lb resistance weight
	Anti-snap technology, 50-120lb resistance weight		
25	RESISTANCE BAND	<mark>21</mark>	RESISTANCE BAND
	Anti-snap technology, 60-150lb resistance weight		60-150lb resistance weight
26	AGILITY CONE SET	<mark>22</mark>	AGILITY CONE SET
	set of 20, fade resistant, includes carry rack		set of 20, fade resistant, includes carry rack
27	ARTIFICIAL GRASS TURF	<mark>23</mark>	ARTIFICIAL GRASS TURF
	2mx10m, free from lead and other heavy metal substances, pile height:10mm, stitch		2mx10m, free from lead and other heavy metal substances, pile height:10mm, stitch
	rate:24stitches/10cm		rate:24stitches/10cm
28	BATTLE ROPE WITH ANCHOR	<mark>24</mark>	BATTLE ROPE WITH ANCHOR
	sheathed with nylon sleeves,40ft,include wall anchor bolt		with nylon sleeved handles,20 meters length, include wall anchor bolt, men (50mm)
		<mark>25</mark>	BATTLE ROPE WITH ANCHOR
			with nylon sleeved handles,20 meters length,include wall anchor bolt, women (38mm)
29	FOAM ROLLER	<mark>26</mark>	FOAM ROLLER
	High Density Expanded Polypropylene(EPP) supports up to 300lb, set includes Soft, Firm		High Density Expanded Polypropylene(EPP) supports up to 300lb, set includes Soft, Firm
	and Extra firm Barrel Roller		and Extra firm Barrel Roller

30	SPEED HURDLES	27	SPEED HURDLES 6" hurdles on set of 6pcs, anti-shatter design, bounce-back construction
31	6" hurdles on set of 6pcs, anti-shatter design, bounce-back construction TRAP BAR Fits 2" Olympic Plates, knurled handles, 44lb weight,56" overall length, 500lb weight	28	TRAP BAR Fits 2" Olympic Plates, knurled handles, 44lb weight,56"overall length, 500lb weight
32	capacity OLYMPIC WEIGHT SET	<mark>29</mark>	capacity OLYMPIC WEIGHT SET rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg, 25kg plates
33	rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg, 25kg plates	<mark>30</mark>	PLATE RACK
	PLATE RACK maximum weight of 300-450lb, powder coated finish, triangular in design,		maximum weight of 300-450lb, powder coated finish, triangular in design,
34	Utility Bench For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller pads, boxed upholstery, high-density foam, 3 years warranty	<mark>31</mark>	Utility Bench For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller pads, boxed upholstery, high-density foam, 3 years warranty on frame, weight not less than 70 lbs
35	PLYOMETRIC BOX SET Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm, 45cm, 60cm	<mark>32</mark>	PLYOMETRIC BOX SET Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm, 45cm, 60cm
36	TIRE FLIP MACHINE Commercial-grade steel construction, 129kg unit weight-weight plates not included, include 2-battle rope, 3 years warranty	<mark>33</mark>	TIRE FLIP MACHINE Commercial-grade steel construction, 129kg unit weight (weight plates not included), include 2-battle rope <mark>, 3 years warranty on frame</mark>
37	POWER RACK Multi-Function Fitness Squat, adjustable safety support bars, steel frame with scratch proof powder coated finish, Pull up bar is of 51" solid steel with capacity of 450lbs; two liftoffs and two safety rods, suitable for commercial use, 3 year warranty, ISO 9001 Certified	<mark>34</mark>	POWER RACK Multi-Function Fitness Squat, adjustable safety support bars, steel frame with scratch proof powder coated finish, Pull up bar is of 51" solid steel with capacity of 450lbs; two liftoffs and two safety rods, suitable for commercial use, <mark>3 year warranty on frame</mark> , ISO 9001 Certified
38	TREADMILL Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or higher, Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power Requirements: 20-amp dedicated circuit required and non-looped grounded, Maximum User Weight: 155-160 kg, Compatible with Virtual Active programming, With 15-20" touchscreen LCD, Virtual Active Compatible, Pause function, with USB port, Ultimate hard-wax reversible 1" deck, Step-on height: 16-22 cm, Contact and telectric Heart Rate, For commercial use, 5 years warranty, ISO 9001 Certified	35	TREADMILL Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or higher, Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power Requirements: 20-amp dedicated circuit required and non-looped grounded, Maximum User Weight: 155-160 kg, Compatible with Virtual Active programming, With 15-20" touchscreen LCD, Virtual Active Compatible, Pause function, with USB port, Ultimate hard-wax reversible 1" deck, Step-on height: 16-22 cm, Contact and telectric Heart Rate, For commercial use, 5 years warranty, 4-5 hp, ISO 9001 Certified
39	ELLIPTICAL MACHINE 25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand pulse and HR Receiver, Standard resistance level control, Maximum User Weight: 180-190 kg, Stride: 50cm, Self-powered, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	<mark>36</mark>	ELLIPTICAL MACHINE 20-25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand pulse and HR Receiver, Standard resistance level control: 20-25, Maximum User Weight: 160-190 kg,

			Strider Flom Colf neurorad Suitable for commercial use 2 years warranty on frame ISO
			Stride: 50cm, Self-powered, Suitable for commercial use, <mark>3 years warranty on frame</mark> , ISO
40		27	9001 Certified SMITH MACHINE
40	SMITH MACHINE	<mark>37</mark>	
	Frame Finish: Proprietary two-coat powder process, Bar travelling limited to 27-29" from		Frame Finish: Powder Coated, Bar travelling limited to 27-29" from the floor, 5-8
	the floor, 5-8 integrated weight storage horns, Starting Weight: 20 kg, Suitable for		integrated weight storage horns, Starting Weight: 20 kg, Suitable for commercial use, 3
	commercial use, 3 years warranty, ISO 9001 Certified		years warranty <mark> on frame</mark> , ISO 9001 Certified
41	LAT PULLDOWN/ LOW ROW MACHINE	<mark>37</mark>	LAT PULLDOWN/ LOW ROW MACHINE
	Plate-Loading, Dual Weight Stacks: 2 x 115 lbs., Commercial grace center drilled weight		Selectorized, Single Weight Stacks, Commercial grade center drilled weight stacks,
	stacks, Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all		Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all pull
	pull points using a commercial grade bearing, Suitable for Commercial use, 3 years		points using a commercial grade bearing, Suitable for Commercial use, 3 years warranty
	warranty, ISO 9001 Certified		on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified
42	LEG EXTENSION/LEG CURL MACHINE	<mark>38</mark>	LEG EXTENSION/LEG CURL MACHINE
	Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and		Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and
	electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high		electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high
	grade naugahyde, Weight Stacks: <mark>2 x 110 lbs. (1:1 ratio for 110 lbs. per leg)</mark> , Suitable for		grade naugahyde, <mark>Single</mark> Weight Stack, Suitable for commercial use, 3 years warranty <mark>on</mark>
	commercial use, 3 years warranty, ISO 9001 Certified		frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified
43		<mark>39</mark>	ABDUCTOR/ ADDUCTOR MACHINE
	ABDUCTOR/ ADDUCTOR MACHINE		Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack
	Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack		guards, Suitable for commercial use, 3 years warranty on frame, Weight Stack guarding:
	guards, Suitable for commercial use, 3 years warranty, ISO 9001 Certified		Full front and rear, ISO 9001 Certified
44	SPINNING BIKE	<mark>40</mark>	SPINNING BIKE
	Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual		Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual
	Pedal design with SPD and toe cage, Adjustments: Up/down-reliable pop-pin adjustments		Pedal design with SPD and toe cage, Adjustments: Up/down-reliable pop-pin adjustments
	and fore/aft-nob tightening micro adjustments, Maximum User Weight: 300-400 lbs.,		and fore/aft-nob tightening micro adjustments, Maximum User Weight: 300-400 lbs,
	Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3		Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3
	years warranty, ISO 9001 certified		years warranty on frame, ISO 9001 certified
45	PEC FLY/ REAR DELT MACHINE	<mark>41</mark>	PEC FLY/ REAR DELT MACHINE
	Frame Finish: proprietary tow-coat powder process, Total stack weight: Heavy- 91 kg;		Frame Finish: Powder Coated, Total stack weight: Heavy- 91 kg; Light- 68kg, Consistent
	Light- 68kg, Consistent Stack Height, Weight Stack guarding: Full front and rear shields,		Stack Height, Weight Stack guarding: Full front and rear shields, Cable transmission:
	Cable transmission: Internally lubricated cables and fittings, Color coded pivots and		Internally lubricated cables and fittings, Color coded pivots and points of adjustment,
	points of adjustment, Suitable for commercial use, 3 years warranty, ISO 9001 certified		Suitable for commercial use, 3 years warranty on frame, ISO 9001 certified
46	CABLE CROSSOVER MACHINE	<mark>42</mark>	CABLE CROSSOVER MACHINE
	Frame Finish: Proprietary two-coat powder process, Over-sized Frame Tubing, Weight		Frame Finish: Powder Coated, Over-sized Frame Tubing, Weight Stack: 2 x 200 lbs, Solid
	Stack: 2 x 200 lbs., Solid cold-rolled steel plate with inner brushing, Suspension: 3-point		cold-rolled steel plate with inner brushing, Suspension: 3-point design, Color-coded
	design, Color-coded Pivots and Adjusts, Low row and lat pulldown have dual pulley		Pivots and Adjusts, Low row and lat pulldown have dual pulley configurations for greater
	configurations for greater training variety, 2-5 configurations, Suitable for Commercial		training variety, 2-5 configurations, Suitable for Commercial use, 3 years warranty,
	use, 3 years warranty, ISO 9001 certified		Weight Stack guarding: Full front and rear, ISO 9001 certified
47	HACK SQUAT MACHINE	<mark>43</mark>	HACK SQUAT MACHINE WITH PLATE SET
77	Frame Finish: Proprietary two-coat powder process, Maximum User Weight: 110-160 kg,		Frame Finish: Powder Coated, Maximum User Weight: 110-160 kg, Maximum Training
	Maximum Training Weight: 230-245 kg, Starting Resistance: 46-50 kg, Suitable for		Weight: 230-245 kg, Starting Resistance: 46-50 kg, Suitable for Commercial use, 3 years
	Commercial use, 3 years warranty, ISO 9001 certified		warranty, ISO 9001 certified

48		44	RECUMBENT BIKE
			Flywheel: 9-11kg, User Weight Capacity: 150-170kg, Pedal Spacing- 190-200 mm,
			Resistance: 10-20 Electric Setting, Frame type: Recumbent, Workout Program: 10-15,
	REVERSE LEG EXTENSION		Seat Type: Comfort Arc with mesh seatback, Seat Adjustment: Fore/aft via easy adjust
	Frame finish: Proprietary two-coat powder process, Internally lubricate cables and		lever, Pedal type: Self-balancing pedals with adjustable straps, User Weight Capacity:
	fittings, Machine anchoring locations, Standard Stack: 160 lbs Heavy Stack: 160 lbs		150-160 lbs, User Weight Height Range: 140 cm- 200 cm, Power Supply: 12V/ 2A Power
	Suitable for commercial use, 3 years warranty, ISO 9001 certified		Adapter
49	GLUTE HAM RAISE	<mark>45</mark>	GLUTE HAM RAISE BENCH
	Weight: 70kg, <mark>914 mm x 1562 mm x 1477 mm</mark> , Power coated steel frame, <mark>Plate loaded</mark> ,		Weight: 70kg, Powder coated steel frame, Vertical and horizontal adjustments, Suitable
	Vertical and horizontal adjustments, Suitable for commercial use, Electrostatic powder-		for commercial use, Electrostatic powder-coated and heat cured for super durability, ISO
	coated and heat cured for super durability, ISO 9001 certified		9001 certified
50	FLAT BENCH PRESS WITH RACK	<mark>46</mark>	FLAT BENCH PRESS
	Power coated steel frame, Structural Steel Framework, Vertical Racking system which can		Powder coated steel frame, Structural Steel Framework, Vertical Racking system which
	accommodate both Men's and Women's Olympic sized bars, Flat padded seat, 3-5		can accommodate both Men's and Women's Olympic sized bars, Flat padded seat, 3-5
	Racking points, Maximum User Weight: 140-160 kg, 3 years warranty, suitable for		Racking points, Maximum User Weight: 140-160 kg, 3 years warranty, suitable for
	commercial use, ISO 9001 Certified		commercial use, ISO 9001 Certified
51	DECLINE BENCH PRESS WITH RACK	<mark>47</mark>	DECLINE BENCH PRESS WITH HORN AND PLATE SET
	Power Coated Steel frame, Structural Steel Framework, Vertical racking system which will		Powder Coated Steel frame, Structural Steel Framework, Vertical racking system which
	accommodate both Men's and Women's Olympic Sized Bar, Padded seat and upper body		will accommodate both Men's and Women's Olympic Sized Bar, Padded seat and upper
	rest, Adjustable leg rollers, 3-5 racking points, suitable for commercial use, ISO 9001		body rest, Adjustable leg rollers, 3-5 racking points, suitable for commercial use, ISO 9001
	Certified		Certified
52	INCLINE BENCH PRESS WITH RACK	<mark>48</mark>	INCLINE BENCH PRESS WITH HORN AND PLATE SET
	Power Coated Steel Frame, Structural Steel Framework, Plate loaded, Electrostatic		Powder Coated Steel Frame, Structural Steel Framework, Plate loaded, Electrostatic
	powder-coated and heat cured, 55-70 mm thick seats and padding, Maximum Weight		powder-coated and heat cured, 55-70 mm thick seats and padding, Maximum Weight
	Capacity: 280-320 kg, suitable for commercial use, 3 years warranty, ISO 9001 Certified		Capacity: 280-320 kg, suitable for commercial use, 3 years warranty, ISO 9001 Certified
53	45 DEG LEG PRESS	<mark>49</mark>	45 DEG LEG PRESS
	Proprietary two-coat powder process, Maximum user weight: 150-170 kg, Plate loaded,		Powder Coated Finish, Maximum user weight: 150-170 kg, Plate loaded, Adjustable
	Adjustable bottol stops provide long or shot ranges of motion for all heigh users,		bottom stops provide long or short ranges of motion for all height users, Adjustable back
	Adjustable back pad, Assistance handle on platform, suitable for commercial use, 3 year		pad, Assistance handle on platform, suitable for commercial use, 3 year warranty, ISO
	warranty, ISO 9001 Certified		9001 Certified
54	SHOULDER PRESS BENCH	<mark>50</mark>	SHOULDER PRESS BENCH
	Frame Finish: Proprietary two-coat powder process, Maximum User weight: 150-165 kg,		Frame Finish: Powder Coated, Maximum User weight: 150-165 kg, Maximum Training
	Maximum Training Weight: 200-210 kg, Dual-grip pressing positions, Ratcheting Seat, 4		Weight: 200-210 kg, Dual-grip pressing positions, 4 integrated weight-storage horns,
	integrated weight-storage horns, suitable for commercial use, 3 years warranty, ISO 9001		suitable for commercial use, 3 years warranty, ISO 9001 Certified
	Certified		
55	SEATED PREACHER CURL		
	Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, Angled seat pad at 10º, Angled elbow pad at 55º, suitable for commercial use, 3 year		
	warranty, ISO 9001 Certified		
	waitanty, 150 9001 Certified		

56	ROMAN CHAIR/ Arm Curl	<mark>51</mark>	STANDING PREACHER WITH CURL BAR, PLATE SET, AND COLLARS
	Frame Finish: Proprietary two-coat powder process, Over-sized Internal Frame Tubing,		Frame Finish: Powder Coated, Over-sized Internal Frame Tubing, Angle hand grips, Arm
	Angle hand grips, Arm pad is angled, 3-point design suspension, With guards and pulleys		pad is angled, 3-point design suspension, With guards and pulleys covers, magnetic and
	covers, magnetic and tethered weight pins, Solid cold-rolled steel plate with inner		tethered weight pins, Solid cold-rolled steel plate with inner bushings, suitable for
	bushings, suitable for commercial use, 3 year warranty, ISO 9001 Certified		commercial use, 3 year warranty <mark>,</mark> ISO 9001 Certified
57	KNEE RAISE	<mark>52</mark>	VERTICAL KNEE RAISE WITH BENCH
	Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-		Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-
	climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified		climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified
58	BENCH ABS	<mark>53</mark>	BENCH ABS
	Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable		Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable
	for commercial use, 3 years warranty, ISO 9001 Certified		for commercial use, 3 years warranty, ISO 9001 Certified
59	OLYMPIC BENCH	<mark>54</mark>	FLAT BENCH
	Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, Multiple		Frame Finish: Powder Coated, Over-sized frame tubing, suitable for commercial use, 3
	weight take-off points are spread 6" inches apart, Standard weight storage, suitable for		years warranty, ISO 9001 Certified
	commercial use, 3 years warranty, ISO 9001 Certified		
60		<mark>55</mark>	ADJUSTABLE DECLINE BENCH
	Frame finish: Proprietary two-coat powder process, Color-coded adjustment points,		Frame Finish: Powder Coated, Over-sized Frame Tubing, Product Weight: Atleast 30kg, 3
	heavy gauge steel tubing, Adjustable leg pad, Protective molded guards in high		<mark>years warranty on frame, ISO 9001 Certified</mark>
	wear/scuff areas, Pivots into 5-8 different positions from 0 to 25 degrees, elevated knee		
	position, suitable for commercial use, 3 years warranty, ISO 9001 Certified		
61	45 DEGREE HYPEREXTENSION/ Back Extension Bench		
	Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, 8-10		
	positions of adjustment, suitable for commercial use, 3 years warranty, ISO 9001 Certified		
		<mark>56</mark>	ABS CRUNCH BENCH
			Frame Finish: Powder Coated, Product Weight: 55 kg – 70kg, Maximum User Weight:
			atleast 150 kg, Maximum Training Weight: atleast 30kg, Starting Resistance: 10kg, Weight
			horn accommodates atleast 12kg plates, 3 years warrant on frame, ISO 9001 Certified
Note: Color for t	he frame of the Equipment are either Black or Silver and its uphols	terv	are either Gray or Black. Bidders are requested to offer their
<mark>equipment in <mark>Ol</mark></mark>	ve color only.		

		Original				Revised		
Section VI. Technical Specificati	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty	1	set	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty	1	set
ons	S 2 LANDMINE BARELL ATTACHMENT Heavy Gauge Steel, and public point, full 360degree swivel, can be attached to 2" of 2.5" pole, Suitable for commercial use, 3 Years warranty 1 set 2 LANDMINE BARELL ATTACHMENT Heavy Gauge Steel, and public point, full 360degree swivel, can be attached to 2" of 2.5" pole, Suitable for commercial use, 3 Years warranty 7 key 3 OLYMPIC BAR 2 PC 3 3 OLYMPIC BAR 7 pc 28mm grip diameter, 15kg/33lbs, rated at 1500lb max weight capacity, 3 years warranty 5 pc 4 OLYMPIC BAR 0 7 pc 3 OLYMPIC BAR 7 pc 7 pc 5 9 pc 4 OLYMPIC BAR 0 OLYMPIC BAR 2 pc 4 OLYMPIC BAR 7 pc 7 pc 6 0 OLYMPIC BAR 2 pc 6 BARBELL COLLAR 5 pc 4 OLYMPIC BAR 2 pc 6 BARBELL COLLAR 5 pc 6 BARBELL COLLAR 5 pc 6 BARBELL COLLAR 5 pc 7 BARBELL COLLAR 5 pc 7 BARBELL COLLAR 5 pc							
	3	28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years	7	рс	3	28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years	7	рс
	4	25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years	5	рс	4	25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years	5	рс
	5		11	•	5		<mark>13</mark>	pairs
	6	BARBELL HOLDER	2	рс	6	-	2	рс
	7		4	рс	7		4	рс
	8	includes a pair of 5lb, 10lb, 15lb, 20lb knurled handles for non-slip grip; heavy duty 3 tier rack 1520mmLx 572mmW x 812mmH, full commercial grade, 3 years	2	set	8	includes 10 pairs of dumbbell with varying weights ranging to 2.5 kg to 25 kg, knurled handles for non-slip grip; heavy duty 3 tier rack, full commercial grade, 3	1	set
	9	KETTLE BELL SET WITH RACK includes kettlebells per pair: 4kg, 6kg, 8kg, 12kg, 16kg, 20kg, 24kg, full	2	set	9	includes 7 pairs kettle bells per pair varying weight ranging from 4-24 kg, full	2	set
	10	MEDICINE BALL 6LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For	2	set	<mark>10</mark>	Includes 3kg, 4kg, 5kg, 6kg, and 7kg Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For swinging, hitting and throwing, 3 years		
	11	8LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For	2	set		warranty in rack and 1 year warranty in medicine ball	1	set
	12		2	set				
	13	MEDICINE BALL 12LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	set				

14	MEDICINE BALL	-					
	15LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	5	set				
15	STABILITY HALF BALL			11	STABILITY HALF BALL		
	Slip resistant, durable and elastic high quality PVC material, anti-burst	5	рс	_	Slip resistant, durable and elastic high quality PVC material, anti-burst	2	
	technology, max user capacity: 280-400 KG	-	1		technology, max user capacity: 159 KG		
16	EXERCISE BALL	_		12	EXERCISE BALL		
	2000lb rating, non-toxic PVC Material, Non slip Ribbed body,55 cm	5	рс		non-toxic PVC Material, Non slip Ribbed body,55 cm	<mark>2</mark>	
17				<mark>13</mark>	EXERCISE BALL	_	
	EXERCISE BALL	5	рс		non-toxic PVC Material, Non slip Ribbed body,65 cm	<mark>3</mark>	
10	2000lb rating, non-toxic PVC Material, Non slip Ribbed body,65 cm						
18	AGILITY LADDER	2	set	<mark>14</mark>	AGILITY LADDER	1	
	15ft long x 17" wide, 11 heavy duty plastic rungs, include carry bag	_			15ft long x 17" wide, 11 heavy duty plastic rungs, include carry bag	_	
19	JUMP ROPES	4	рс	<mark>15</mark>	JUMP ROPES	4	
	3m adjustable rope length, center-mounted swivel	-	pe		3m adjustable rope length, center-mounted swivel, non-toxic PVC	-	
20				<mark>16</mark>	AB WHEELS		
	AB WHEELS	4	рс		non-skid wheels, rubberized handle, lightweight and portable	4	
	non-skid wheels, rubberized handle, lightweight and portable						
21	SUSPENSION TRAINER			<mark>17</mark>	SUSPENSION TRAINER		
	includes straps, nylon carrying bag	4	set		high quality straps, nylon carrying bag	<mark>4</mark>	
22	RESISTANCE BAND			<mark>18</mark>	RESISTANCE BAND		
	Anti-snap technology, 20-40lb resistance weight	2	set		20-40lb resistance weight	2	
23	RESISTANCE BAND			<mark>19</mark>	RESISTANCE BAND		
		2	set		40-80lb resistance weight	2	
24	Anti-snap technology, 40-80lb resistance weight RESISTANCE BAND			20	RESISTANCE BAND		_
24	Anti-snap technology, 50-120lb resistance weight	2	set	20	50-120lb resistance weight	2	
25	RESISTANCE BAND			<mark>21</mark>	RESISTANCE BAND		
25	Anti-snap technology, 60-150lb resistance weight	2	set	21	60-150lb resistance weight	2	
26	AGLITY CONE SET			<mark>22</mark>	AGILITY CONE SET		
20	set of 20, fade resistant, includes carry rack	2	set	~~	set of 20, fade resistant, includes carry rack	2	
27	ARTIFICIAL GRASS TURF			23	ARTIFICIAL GRASS TURF		
_/	2mx10m, free from lead and other heavy metal substances, pile height:10mm,	1	set		2mx10m, free from lead and other heavy metal substances, pile	1	
	stitch rate:24stitches/10cm	1	300		height:10mm, stitch rate:24stitches/10cm	1	
28				<mark>24</mark>	BATTLE ROPE WITH ANCHOR		
20	BATTLE ROPE WITH ANCHOR	2	set		with nylon sleeved handles,20 meters length, include wall anchor bolt,	1	
	sheathed with nylon sleeves,40ft,include wall anchor bolt	2	Jei		men (50mm)	-	
				<mark>25</mark>	BATTLE ROPE WITH ANCHOR		
					with nylon sleeved handles, 20 meters length, include wall anchor bolt,	1	
				1	women (38mm)	-	

29	FOAM ROLLER			<mark>26</mark>	FOAM ROLLER		
	High Density Expanded Polypropylene(EPP) supports up to 300lb, set includes	2	set		High Density Expanded Polypropylene(EPP) supports up to 300lb, set	2	set
	Soft, Firm and Extra firm Barrel Roller				includes Soft, Firm and Extra firm Barrel Roller		
30	SPEED HURDLES			<mark>27</mark>	SPEED HURDLES		
	6" hurdles on set of 6pcs, anti-shatter design, bounce-back construction	4	set		6" hurdles on set of 6pcs, anti-shatter design, bounce-back construction	4	set
31	TRAP BAR			<mark>28</mark>	TRAP BAR		
	Fits 2" Olympic Plates, knurled handles, 44lb weight,56"overall length, 500lb	2	set		Fits 2" Olympic Plates, knurled handles, 44lb weight,56"overall length,	2	set
	weight capacity				500lb weight capacity		
32	OLYMPIC WEIGHT SET			<mark>29</mark>	OLYMPIC WEIGHT SET		
	rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg, 25kg	4	set		rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg,	4	set
	plates				25kg plates		
33	PLATE RACK	4		<mark>30</mark>	PLATE RACK	4	
	maximum weight of 300-450lb, powder coated finish, triangular in design,	4	рс		maximum weight of 300-450lb, powder coated finish, triangular in design,	4	рс
34				<mark>31</mark>	Utility Bench		
	Utility Bench	4	nc		For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller	4	nc
	For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller pads,	4	рс		pads, boxed upholstery, high-density foam, 3 years warranty <mark>on frame,</mark>	4	рс
	boxed upholstery, high-density foam, 3 years warranty				weight not less than 70 lbs		
35	PLYOMETRIC BOX SET			<mark>32</mark>	PLYOMETRIC BOX SET		
	Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm, 45cm,	2	рс		Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm,	2	<mark>set</mark>
	60cm				45cm, 60cm		
36	TIRE FLIP MACHINE			<mark>33</mark>	TIRE FLIP MACHINE		
	Commercial-grade steel construction, 129kg unit weight-weight plates not	1	рс		Commercial-grade steel construction, 129kg unit weight (weight plates	1	рс
	included, include 2-battle rope, 3 years warranty				not included), include 2-battle rope <mark>, 3 years warranty on frame</mark>		
37	POWER RACK			<mark>34</mark>	POWER RACK		
	Multi-Function Fitness Squat, adjustable safety support bars, steel frame with				Multi-Function Fitness Squat, adjustable safety support bars, steel frame		
	scratch proof powder coated finish, Pull up bar is of 51" solid steel with capacity	1	set		with scratch proof powder coated finish, Pull up bar is of 51" solid steel	1	set
	of 450lbs; two liftoffs and two safety rods, suitable for commercial use, 3 year				with capacity of 450lbs; two liftoffs and two safety rods, suitable for		
	warranty, ISO 9001 Certified				commercial use, <mark>3 year warranty on frame</mark> , ISO 9001 Certified		
38				<mark>35</mark>	TREADMILL		
	TREADMILL				Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or		
	Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or higher,				higher, Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power		
	Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power Requirements: 20-amp				Requirements: 20-amp dedicated circuit required and non-looped		
	dedicated circuit required and non-looped grounded, Maximum User Weight:	2	рс		grounded, Maximum User Weight: 155-160 kg, Compatible with Virtual	2	рс
	155-160 kg, Compatible with Virtual Active programming, With 15-20"				Active programming, With 15-20" touchscreen LCD, Virtual Active		
	touchscreen LCD, Virtual Active Compatible, Pause function, with USB port,				Compatible, Pause function, with USB port, Ultimate hard-wax reversible		
	Ultimate hard-wax reversible 1" deck, Step-on height: 16-22 cm, Contact and	1			1" deck, Step-on height: 16-22 cm, Contact and telectric Heart Rate, For		
	telectric Heart Rate, For commercial use, 5 years warranty, ISO 9001 Certified	-		20	commercial use, 5 years warranty, <mark>4-5 hp</mark> , ISO 9001 Certified		
39	ELLIPTICAL MACHINE	1	at	<mark>36</mark>	ELLIPTICAL MACHINE	2	
	25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand pulse and	2	set		20-25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand	2	<mark>рс</mark>
	HR Receiver, Standard resistance level control, Maximum User Weight: 180-190	1			pulse and HR Receiver, Standard resistance level control:20-25, Maximum		

	kg, Stride: 50cm, Self-powered, Suitable for commercial use, 3 years warranty, ISO 9001 Certified				User Weight: 160-190 kg, Stride: 50cm, Self-powered, Suitable for commercial use, 3 years warranty on frame, ISO 9001 Certified		
40	SMITH MACHINE Frame Finish: Proprietary two-coat powder process, Bar travelling limited to 27- 29" from the floor, 5-8 integrated weight storage horns, Starting Weight: 20 kg, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>37</mark>	SMITH MACHINE Frame Finish: Powder Coated, Bar travelling limited to 27-29" from the floor, 5-8 integrated weight storage horns, Starting Weight: 20 kg, Suitable for commercial use, 3 years warranty on frame, ISO 9001 Certified	1	set
41	LAT PULLDOWN/ LOW ROW MACHINE Plate-Loading, Dual Weight Stacks: 2 x 115 lbs., Commercial grace center drilled weight stacks, Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all pull points using a commercial grade bearing, Suitable for Commercial use, 3 years warranty, ISO 9001 Certified	1	set	38	LAT PULLDOWN/ LOW ROW MACHINE Selectorized, Single Weight Stacks, Commercial grade center drilled weight stacks, Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all pull points using a commercial grade bearing, Suitable for Commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set
42	LEG EXTENSION/LEG CURL MACHINE Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high grade naugahyde, Weight Stacks: 2 x 110 lbs. (1:1 ratio for 110 lbs. per leg), Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>39</mark>	LEG EXTENSION/LEG CURL MACHINE Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high grade naugahyde, Single Weight Stack, Suitable for commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set
43	ABDUCTOR/ ADDUCTOR MACHINE Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack guards, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>40</mark>	ABDUCTOR/ ADDUCTOR MACHINE Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack guards, Suitable for commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set
44	SPINNING BIKE Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual Pedal design with SPD and toe cage, Adjustments: Up/down- reliable pop-pin adjustments and fore/aft-nob tightening micro adjustments, Maximum User Weight: 300-400 lbs., Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3 years warranty, ISO 9001 certified	3	set	<mark>41</mark>	SPINNING BIKE Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual Pedal design with SPD and toe cage, Adjustments: Up/down-reliable pop-pin adjustments and fore/aft-nob tightening micro adjustments, Maximum User Weight: 300-400 lbs, Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3 years warranty on frame, ISO 9001 certified	3	set
45	PEC FLY/ REAR DELT MACHINE Frame Finish: proprietary tow-coat powder process, Total stack weight: Heavy- 91 kg; Light- 68kg, Consistent Stack Height, Weight Stack guarding: Full front and rear shields, Cable transmission: Internally lubricated cables and fittings, Color coded pivots and points of adjustment, Suitable for commercial use, 3 years warranty, ISO 9001 certified	1	set	<mark>42</mark>	PEC FLY/ REAR DELT MACHINE Frame Finish: Powder Coated, Total stack weight: Heavy- 91 kg; Light- 68kg, Consistent Stack Height, Weight Stack guarding: Full front and rear shields, Cable transmission: Internally lubricated cables and fittings, Color coded pivots and points of adjustment, Suitable for commercial use, 3 years warranty on frame, ISO 9001 certified	1	set
46	CABLE CROSSOVER MACHINE Frame Finish: Proprietary two-coat powder process, Over-sized Frame Tubing, Weight Stack: 2 x 200 lbs., Solid cold-rolled steel plate with inner brushing, Suspension: 3-point design, Color-coded Pivots and Adjusts, Low row and lat	1	set	<mark>43</mark>	CABLE CROSSOVER MACHINE Frame Finish: Powder Coated, Over-sized Frame Tubing, Weight Stack: 2 x 200 lbs, Solid cold-rolled steel plate with inner brushing, Suspension: 3- point design, Color-coded Pivots and Adjusts, Low row and lat pulldown	1	set

	pulldown have dual pulley configurations for greater training variety, 2-5				have dual pulley configurations for greater training variety, 2-5		
	configurations, Suitable for Commercial use, 3 years warranty, ISO 9001 certified				configurations, Suitable for Commercial use, 3 years warranty, <mark>Weight</mark> <mark>Stack guarding: Full front and rear</mark> , ISO 9001 certified		
47	HACK SQUAT MACHINE			<mark>44</mark>	HACK SQUAT MACHINE WITH PLATE SET		
	Frame Finish: Proprietary two-coat powder process, Maximum User Weight:	1	set		Frame Finish: Powder Coated, Maximum User Weight: 110-160 kg,	1	set
	110-160 kg, Maximum Training Weight: 230-245 kg, Starting Resistance: 46-50	1	sei		Maximum Training Weight: 230-245 kg, Starting Resistance: 46-50 kg,	1	Sei
	kg, Suitable for Commercial use, 3 years warranty, ISO 9001 certified				Suitable for Commercial use, 3 years warranty, ISO 9001 certified		
48				<mark>45</mark>	RECUMBENT BIKE		
					Flywheel: 9-11kg, User Weight Capacity: 150-170kg, Pedal Spacing- 190-		
					200 mm, Resistance: 10-20 Electric Setting, Frame type: Recumbent,		
		1	set		Workout Program: 10-15, Seat Type: Comfort Arc with mesh seatback,	1	se
	REVERSE LEG EXTENSION	-	301		Seat Adjustment: Fore/aft via easy adjust lever, Pedal type: Self-balancing	1	30
	Frame finish: Proprietary two-coat powder process, Internally lubricate cables				pedals with adjustable straps, User Weight Capacity: 150-160 lbs, User		
	and fittings, Machine anchoring locations, Standard Stack: 160 lbs Heavy Stack:				Weight Height Range: 140 cm- 200 cm, Power Supply: 12V/ 2A Power		
	160 lbs Suitable for commercial use, 3 years warranty, ISO 9001 certified				Adapter		
49	GLUTE HAM RAISE			<mark>46</mark>	GLUTE HAM RAISE BENCH		
	Weight: 70kg, <mark>914 mm x 1562 mm x 1477 mm</mark> , Power coated steel frame, Plate				Weight: 70kg, Powder coated steel frame, Vertical and horizontal	_	
	loaded, Vertical and horizontal adjustments, Suitable for commercial use,	1	set		adjustments, Suitable for commercial use, Electrostatic powder-coated	<mark>2</mark>	se
	Electrostatic powder-coated and heat cured for super durability, ISO 9001				and heat cured for super durability, ISO 9001 certified		
	certified						
50	FLAT BENCH PRESS WITH RACK			<mark>47</mark>	FLAT BENCH PRESS		
	Power coated steel frame, Structural Steel Framework, Vertical Racking system				Powder coated steel frame, Structural Steel Framework, Vertical Racking		
	which can accommodate both Men's and Women's Olympic sized bars, Flat	1	set		system which can accommodate both Men's and Women's Olympic sized	1	se
	padded seat, 3-5 Racking points, Maximum User Weight: 140-160 kg, 3 years				bars, Flat padded seat, 3-5 Racking points, Maximum User Weight: 140-		
	warranty, suitable for commercial use, ISO 9001 Certified				160 kg, 3 years warranty, suitable for commercial use, ISO 9001 Certified		
51	DECLINE BENCH PRESS WITH RACK			<mark>48</mark>	DECLINE BENCH PRESS WITH HORN AND PLATE SET		
	Power Coated Steel frame, Structural Steel Framework, Vertical racking system				Powder Coated Steel frame, Structural Steel Framework, Vertical racking		
	which will accommodate both Men's and Women's Olympic Sized Bar, Padded	1	set		system which will accommodate both Men's and Women's Olympic Sized	1	Se
	seat and upper body rest, Adjustable leg rollers, 3-5 racking points, suitable for				Bar, Padded seat and upper body rest, Adjustable leg rollers, 3-5 racking		
	commercial use, ISO 9001 Certified				points, suitable for commercial use, ISO 9001 Certified		
52	INCLINE BENCH PRESS WITH RACK			<mark>49</mark>	INCLINE BENCH PRESS WITH HORN AND PLATE SET		
	Power Coated Steel Frame, Structural Steel Framework, Plate loaded,				Powder Coated Steel Frame, Structural Steel Framework, Plate loaded,		
	Electrostatic powder-coated and heat cured, 55-70 mm thick seats and padding,	1	set		Electrostatic powder-coated and heat cured, 55-70 mm thick seats and	1	S
	Maximum Weight Capacity: 280-320 kg, suitable for commercial use, 3 years				padding, Maximum Weight Capacity: 280-320 kg, suitable for commercial		
	warranty, ISO 9001 Certified				use, 3 years warranty, ISO 9001 Certified		
53	45 DEG LEG PRESS			<mark>50</mark>	45 DEG LEG PRESS		
	Proprietary two-coat powder process, Maximum user weight: 150-170 kg, Plate				Powder Coated Finish, Maximum user weight: 150-170 kg, Plate loaded,	1	
	loaded, Adjustable bottol stops provide long or shot ranges of motion for all	1	set		Adjustable bottom stops provide long or short ranges of motion for all	1	Se
	beigh upper Adjustable had upped Assistance handle on platforms suitable for	1	1	1	height users, Adjustable back pad, Assistance handle on platform, suitable	1	
	heigh users, Adjustable back pad, Assistance handle on platform, suitable for				neight users, Aujustable back pau, Assistance handle on platform, suitable		

54	SHOULDER PRESS BENCH Frame Finish: Proprietary two-coat powder process, Maximum User weight: 150- 165 kg, Maximum Training Weight: 200-210 kg, Dual-grip pressing positions, Ratcheting Seat, 4 integrated weight-storage horns, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>51</mark>	SHOULDER PRESS BENCH Frame Finish: Powder Coated, Maximum User weight: 150-165 kg, Maximum Training Weight: 200-210 kg, Dual-grip pressing positions, 4 integrated weight-storage horns, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set
55	SEATED PREACHER CURL Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, Angled seat pad at 10º, Angled elbow pad at 55º, suitable for commercial use, 3 year warranty, ISO 9001 Certified	<mark>1</mark>	<mark>set</mark>				
56	ROMAN CHAIR/ Arm Curl Frame Finish: Proprietary two-coat powder process, Over-sized Internal Frame Tubing, Angle hand grips, Arm pad is angled, 3-point design suspension, With guards and pulleys covers, magnetic and tethered weight pins, Solid cold-rolled steel plate with inner bushings, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	<mark>52</mark>	STANDING PREACHER CURL WITH BAR, PLATE SET, AND COLLARS Frame Finish: Powder Coated, Over-sized Internal Frame Tubing, Angle hand grips, Arm pad is angled, 3-point design suspension, With guards and pulleys covers, magnetic and tethered weight pins, Solid cold-rolled steel plate with inner bushings, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set
57	KNEE RAISE Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>53</mark>	VERTICAL KNEE RAISE WITH BENCH Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	se
58	BENCH ABS Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>54</mark>	BENCH ABS Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	se
59	OLYMPIC BENCH Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, Multiple weight take-off points are spread 6" inches apart, Standard weight storage, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	<mark>55</mark>	FLAT BENCH Frame Finish: Powder Coated, Over-sized frame tubing, suitable for commercial use, 3 years warranty, ISO 9001 Certified	<mark>3</mark>	se
60	ADJUSTABLE CRUNCH Frame finish: Proprietary two-coat powder process, Color-coded adjustment points, heavy gauge steel tubing, Adjustable leg pad, Protective molded guards in high wear/scuff areas, Pivots into 5-8 different positions from 0 to 25 degrees, elevated knee position, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	<mark>set</mark>	<mark>56</mark>	ADJUSTABLE DECLINE BENCH Frame Finish: Powder Coated, Over-sized Frame Tubing, Product Weight: Atleast 30kg, 3 years warranty on frame, ISO 9001 Certified	1	se
61	45 DEGREE HYPEREXTENSION/ Back Extension Bench Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, 8- 10 positions of adjustment, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set				
				57	ABS CRUNCH BENCH Frame Finish: Powder Coated, Product Weight: 55 kg – 70kg, Maximum User Weight: atleast 150 kg, Maximum Training Weight: atleast 30kg, Starting Resistance: 10kg, Weight horn accommodates atleast 12kg plates, 3 years warrant on frame, ISO 9001 Certified	2	Se

Note: Color for the frame of the Equipment are either Black or Silver and its upholstery are either Gray or Black. Bidders are requested to offer their equipment in <u>ONE</u> color only.

		ORIGINA	۱L					REVISEI	D			
	Item	Description	QTY	Unit	Unit Price	Total Amount	Item	Description	QTY	Unit	Unit price	Total Amount
Section VIII. Bidding Forms Bid	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty	1	set	32,000.00	32,000.00	1	POWER SLED Heavy Duty Steel, adaptable for training on any surface, multiple mountable attachments for double handle and wheelbarrow, Pole Length:96cm, Suitable for commercial used, 3 Years Warranty	1	set	32,200.00	32,200.00
Prices/Bill of Quantities	2	LANDMINE BARBELL ATTACHMENT Heavy Gauge Steel, axle pivot point, full 360degree swivel, can be attached to 2" or 2.5" pole, Suitable for commercial use, 3 Years warranty	1	set	93,000.00	9,300.00	2	LANDMINE BARBELL ATTACHMENT Heavy Gauge Steel, axle pivot point, full 360degree swivel, can be attached to 2" or 2.5" pole, Suitable for commercial use, 3 Years warranty	1	set	9,300.00	9,300.00
	3	OLYMPIC BAR 28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years warranty	7	рс	13,600.00	95,200.00	3	OLYMPIC BAR 28mm grip diameter, 20kg/44lbs, rated at 1500lb max weight capacity, 3 years warranty	7	рс	13,600.00	95,200.00
	4	OLYMPIC BAR 25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years warranty	5	рс	11,600.00	58,000.00	4	OLYMPIC BAR 25mm grip diameter, 15kg/33lbs, rated at 1000lb max weight capacity, 3 years warranty	5	рс	11,600.00	58,000.00
	5	BARBELL COLLAR 50mm, solid injection molded nylon frame and thick molded pressure pads	11	pairs	800.00	8,800.00	5	BARBELL COLLAR 50mm, solid injection molded nylon frame and thick molded pressure pads	<mark>13</mark>	pairs	800.00	<mark>10,400.00</mark>
	6	BARBELL HOLDER 45mm x 46mm x 19mm 7-gauge Steel, 9 bar holder	2	рс	7,800.00	15,600.00	6	BARBELL HOLDER 45mm x 46mm x 19mm 7-gauge Steel, 9 bar holder	2	рс	7,800.00	15,600.00
	7	BARBELL FOAM PAD 17" Neck pad, 3/4" Dense Foam, Synthetic Leather Material	4	рс	1,600.00	6,400.00	7	BARBELL FOAM PAD 17" Neck pad, 3/4" Dense Foam, Synthetic Leather Material	4	рс	1,600.00	6,400.00
	8	DUMBLE SET WITH 3- TIER RACK includes a pair of 5lb, 10lb, 15lb, 20lb knurled handles for non-slip grip; heavy duty 3 tier rack 1520mmLx 572mmW x 812mmH, full commercial grade, 3 years warranty	2	set	87,200.00	174,400.0 0	8	DUMBBELL SET WITH 2- TIER RACK includes 10 pairs of dumbbell with varying weights ranging to 2.5 kg to 25 kg, knurled handles for non-slip grip; heavy duty 3 tier rack, full commercial grade, 3 years warranty on rack and 1 year warranty on dumbbell	1	set	<mark>174,400.00</mark>	174,400.00

9	KETTLE BELL SET WITH RACK includes kettlebells per pair: 4kg, 6kg, 8kg, 12kg, 16kg, 20kg, 24kg, full commercial grade, 3 years warranty	2	set	47,000.00	94,000.00	9	KETTLE BELL SET WITH RACK includes 7 pairs kettle bells with varying weight ranging from 4-24 kg, full commercial grade, 3 years warranty	2	Set	47,000.00	94,000.00
10	MEDICINE BALL 6LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	set	2,500.00	5,000.00	<mark>10</mark>	MEDICINE BALLS WITH RACK Includes 3kg, 4kg, 5kg, 6kg, and 7kg Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For swinging, hitting and throwing, 3 years warranty in rack and 1			<mark>41,800.00</mark>	<mark>41,800.00</mark>
11	MEDICINE BALL 8LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	<mark>set</mark>	2,700.00	5,400.00		<mark>year warranty in medicine ball</mark>				
12	MEDICINE BALL 10LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	<mark>set</mark>	2,900.00	5,800.00	-		1	<mark>set</mark>		
<mark>13</mark>	MEDICINE BALL 12LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	2	set	3,300.00	6,600.00						
<mark>14</mark>	MEDICINE BALL 15LB Non Slip Weight Training Medicine Ball, Seamless pattern, Heavy Duty, For slamming, swinging hitting and throwing, 3 years warranty	<mark>5</mark>	<mark>set</mark>	3,800.00	19,000.00						
15	STABILITY HALF BALL Slip resistant, durable and elastic high quality PVC material, anti-burst technology, max user capacity: 280-400 KG	5	рс	3,800.00	19,000.00	<mark>11</mark>	STABILITY HALF BALL Slip resistant, durable and elastic high quality PVC material, anti-burst technology, max user capacity: 159 KG	2	рс	<mark>19,000.00</mark>	<mark>38,000.00</mark>
16	EXERCISE BALL 2000lb rating, non-toxic PVC Material, Non slip Ribbed body,55 cm	5	рс	600.00	3,000.00	<mark>12</mark>	EXERCISE BALL non-toxic PVC Material, Non slip Ribbed body,55 cm	2	рс	3,000.00	6,000.0
17	EXERCISE BALL 2000lb rating, non-toxic PVC Material, Non slip Ribbed body,65 cm	5	рс	700.00	3,500.00	<mark>13</mark>	EXERCISE BALL non-toxic PVC Material, Non slip Ribbed body,65 cm	<mark>3</mark>	рс	<mark>3,500.00</mark>	<mark>10,500.0</mark>

18	AGILITY LADDER 15ft long x 17" wide, 11 heavy duty plastic	2	set	1,500.00	3,000.00	<mark>14</mark>	AGILITY LADDER 15ft long x 17" wide, 11 heavy duty plastic	1	set	3,000.00	3,000
	rungs, include carry bag	2	sei	1,500.00	3,000.00		rungs, include carry bag	–	Set	3,000.00	3,000
19	JUMP ROPES 3m adjustable rope length, center-mounted swivel	4	рс	800.00	3,200.00	<mark>15</mark>	JUMP ROPES 3m adjustable rope length, center-mounted swivel, non-toxic PVC	4	рс	<mark>1,000.00</mark>	<mark>4,00</mark> 0
20	AB WHEELS non-skid wheels, rubberized handle, lightweight and portable	4	рс	2,000.00	8,000.00	<mark>16</mark>	AB WHEELS non-skid wheels, rubberized handle, lightweight and portable	4	рс	2,000.00	8,00
21	SUSPENSION TRAINER includes straps, nylon carrying bag	4	set	5,700.00	22,800.00	17	SUSPENSION TRAINER high quality straps, nylon carrying bag	<mark>4</mark>	<mark>set</mark>	<mark>11,400.00</mark>	<mark>45,60</mark>
22	RESISTANCE BAND Anti-snap technology, 20-40lb resistance weight	2	set	1,000.00	2,000.00	<mark>18</mark>	RESISTANCE BAND 20-40lb resistance weight	2	set	1,000.00	2,00
23	RESISTANCE BAND Anti-snap technology, 40-80lb resistance weight	2	set	1,400.00	2,800.00	<mark>19</mark>	RESISTANCE BAND 40-80lb resistance weight	2	set	1,400.00	2,80
24	RESISTANCE BAND Anti-snap technology, 50-120lb resistance weight	2	set	1,900.00	3,800.00	<mark>20</mark>	RESISTANCE BAND 50-120lb resistance weight	2	set	1,900.00	3,80
25	RESISTANCE BAND Anti-snap technology, 60-150lb resistance weight	2	set	2,400.00	4,800.00	21	RESISTANCE BAND 60-150lb resistance weight	2	set	2,400.00	4,80
26	AGILITY CONE SET set of 20, fade resistant, includes carry rack	2	set	1,000.00	2,000.00	<mark>22</mark>	AGILITY CONE SET set of 20, fade resistant, includes carry rack	2	set	1,000.00	2,00
27	ARTIFICIAL GRASS TURF 2mx10m, free from lead and other heavy metal substances, pile height:10mm, stitch rate:24stitches/10cm	1	set	41,400.00	41,400.00	<mark>23</mark>	ARTIFICIAL GRASS TURF 2mx10m, free from lead and other heavy metal substances, pile height:10mm, stitch rate:24stitches/10cm	1	set	41,400.00	41,40
28	BATTLE ROPE WITH ANCHOR sheathed with nylon sleeves,40ft,include wall anchor bolt	2	set	10,200.00	10,200.00	<mark>24</mark>	BATTLE ROPE WITH ANCHOR sheathed with nylon sleeves,40ft,include wall anchor bolt, for men (50mm)	<mark>1</mark>	set	10,200.00	10,20
						<mark>25</mark>	BATTLE ROPE WITH ANCHOR sheathed with nylon sleeves,40ft,include wall anchor bolt, women (38mm)	1	<mark>set</mark>	<mark>10,200.00</mark>	<mark>10,20</mark>
29	FOAM ROLLER High Density Expanded Polypropylene(EPP) supports up to 300lb, set includes Soft, Firm and Extra firm Barrel Roller	2	set	10,100.00	20,200.00	<mark>26</mark>	FOAM ROLLER High Density Expanded Polypropylene(EPP) supports up to 300lb, set includes Soft, Firm and Extra firm Barrel Roller	2	set	10,100.00	20,20

30	SPEED HURDLES 6" hurdles on set of 6pcs, anti-shatter design, bounce-back construction	4	set	2,600.00	10,400.00	<mark>27</mark>	SPEED HURDLES 6" hurdles on set of 6pcs, anti-shatter design, bounce-back construction	4	set	2,600.00	10,400.00
31	TRAP BAR Fits 2" Olympic Plates, knurled handles, 44lb weight,56"overall length, 500lb weight capacity	2	set	18,500.00	37,000.00	<mark>28</mark>	TRAP BAR Fits 2" Olympic Plates, knurled handles, 44lb weight,56"overall length, 500lb weight capacity	2	set	18,500.00	37,000.00
32	OLYMPIC WEIGHT SET rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg, 25kg plates	4	set	42,300.00	169,200.0 0	<mark>29</mark>	OLYMPIC WEIGHT SET rubber coated Olympic plates, includes a pair of 5kg, 10kg, 15kg, 20kg, 25kg plates	4	set	42,300.00	169,200.00
33	PLATE RACK maximum weight of 300-450lb, powder coated finish, triangular in design,	4	рс	6,800.00	27,200.00	<mark>30</mark>	PLATE RACK maximum weight of 300-450lb, powder coated finish, triangular in design,	4	рс	6,800.00	27,200.00
34	Utility Bench For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller pads, boxed upholstery, high-density foam, 3 years warranty	4	рс	25,300.00	101,200.0 0	<mark>31</mark>	Utility Bench For Upright, Incline, Flat Exercise; Steel frame with contoured foam roller pads, boxed upholstery, high-density foam, 3 years warranty on frame,weight not less than 70lbs	<mark>4</mark>	рс	<mark>30,000.00</mark>	<mark>120,000.00</mark>
35	PLYOMETRIC BOX SET Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm, 45cm, 60cm	2	рс	34,800.00	69,600.00	<mark>32</mark>	PLYOMETRIC BOX SET Stackable, 15cmx75cm high density foam surface, includes 15cm,30cm, 45cm, 60cm	2	<mark>set</mark>	34,800.00	69,600.00
36	TIRE FLIP MACHINE Commercial-grade steel construction, 129kg unit weight-weight plates not included, include 2-battle rope, 3 years warranty	1	рс	101,200.0 0	101,200.0 0	<mark>33</mark>	TIRE FLIP MACHINE Commercial-grade steel construction, 129kg unit weight (weight plates not included), include 2-battle rope, 3 years warranty on frame	1	рс	101,200.00	101,200.00
37	POWER RACK Multi-Function Fitness Squat, adjustable safety support bars, steel frame with scratch proof powder coated finish, Pull up bar is of 51" solid steel with capacity of 450lbs; two liftoffs and two safety rods, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	181,000.0 0	181,000.0 0	34	POWER RACK Multi-Function Fitness Squat, adjustable safety support bars, steel frame with scratch proof powder coated finish, Pull up bar is of 51" solid steel with capacity of 450lbs; two liftoffs and two safety rods, suitable for commercial use, 3 year warranty on frame, ISO 9001 Certified	1	set	181,000.00	181,000.00
38	TREADMILL Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or higher, Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power Requirements: 20-amp dedicated	2	рс	518,000.0 0	1,036,000. 00	<mark>35</mark>	TREADMILL Workouts: 8-12 workouts, With USB port, Running Area: 152 x 51 cm or higher, Inline range: 0% - 15%, Speed Range: 0.8-20km/h, Power Requirements: 20-amp dedicated	2	рс	518,000.00	1,036,000.00

	circuit required and non-looped grounded, Maximum User Weight: 155-160 kg, Compatible with Virtual Active programming, With 15-20" touchscreen LCD, Virtual Active Compatible, Pause function, with USB port, Ultimate hard-wax reversible 1" deck, Step-on height: 16-22 cm, Contact and telectric Heart Rate, For commercial use, 5 years warranty, ISO 9001 Certified						circuit required and non-looped grounded, Maximum User Weight: 155-160 kg, Compatible with Virtual Active programming, With 15-20" touchscreen LCD, Virtual Active Compatible, Pause function, with USB port, Ultimate hard-wax reversible 1" deck, Step- on height: 16-22 cm, Contact and telectric Heart Rate, For commercial use, 5 years warranty, 4-5 hp, ISO 9001 Certified				
39	ELLIPTICAL MACHINE 25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand pulse and HR Receiver, Standard resistance level control, Maximum User Weight: 180-190 kg, Stride: 50cm, Self-powered, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	2	set	205,000.0 0	410,000.0 0	<mark>36</mark>	ELLIPTICAL MACHINE 20-25 Resistance levels, Self-Powered, Gear rate feedback, Standard hand pulse and HR Receiver, Standard resistance level control:20-25, Maximum User Weight: 160- 190 kg, Stride: 50cm, Self-powered, Suitable for commercial use, 3 years warranty on frame, ISO 9001 Certified	2	pc	205,000.00	410,000.00
40	SMITH MACHINE Frame Finish: Proprietary two-coat powder process, Bar travelling limited to 27-29" from the floor, 5-8 integrated weight storage horns, Starting Weight: 20 kg, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	265,000.0 0	265,000.0 0	<mark>37</mark>	SMITH MACHINE Frame Finish: Powder Coated, Bar travelling limited to 27-29" from the floor, 5-8 integrated weight storage horns, Starting Weight: 20 kg, Suitable for commercial use, 3 years warranty on frame, ISO 9001 Certified	1	set	265,000.00	265,000.00
41	LAT PULLDOWN/ LOW ROW MACHINE Plate-Loading, Dual Weight Stacks: 2 x 115 lbs., Commercial grace center drilled weight stacks, Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all pull points using a commercial grade bearing, Suitable for Commercial use, 3 years warranty, ISO 9001 Certified	1	set	150,000.0 0	150,000.0 0	38	LAT PULLDOWN/ LOW ROW MACHINE Selectorized, Single Weight Stacks, Commercial grade center drilled weight stacks, Adjustment: Seat Height, Swivel Pull points: Smooth rotating swivel pulleys at all pull points using a commercial grade bearing, Suitable for Commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set	150,000.00	150,000.00

42	LEG EXTENSION/LEG CURL MACHINE Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high grade naugahyde, Weight Stacks: 2 x 110 lbs. (1:1 ratio for 110 lbs. per leg), Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	172,000.0 0	172,000.0 0	<mark>39</mark>	LEG EXTENSION/LEG CURL MACHINE Frame: Heavy-duty, round 11 gauge tubular steel, powder Coated Finish: Matte black and electrostatic powder coat, commercial Pads: Closed cell foam and double stitched high grade naugahyde, Single Weight Stack, Suitable for commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set	172,000.00	172,000.00
43	ABDUCTOR/ ADDUCTOR MACHINE Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack guards, Suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	132,000.0 0	132,000.0 0	<mark>40</mark>	ABDUCTOR/ ADDUCTOR MACHINE Structural Steel, Weight Stack: 60-70 kg, Maximum User weight: 140-180 kg, Stack guards, Suitable for commercial use, 3 years warranty on frame, Weight Stack guarding: Full front and rear, ISO 9001 Certified	1	set	132,000.00	132,000.00
44	SPINNING BIKE Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual Pedal design with SPD and toe cage, Adjustments: Up/down-reliable pop-pin adjustments and fore/aft-nob tightening micro adjustments, Maximum User Weight: 300-400 lbs., Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3 years warranty, ISO 9001 certified	3	set	79,000.00	79,000.00	41	SPINNING BIKE Frame: high-strength steel with durable powder-coat paint, handlebar: PVC coated, Dual Pedal design with SPD and toe cage, Adjustments: Up/down-reliable pop-pin adjustments and fore/aft-nob tightening micro adjustments, Maximum User Weight: 300-400 lbs, Seat: racing saddle, User size range: 4'11" to 6'5" tall, Suitable for commercial use, 3 years warranty on frame, ISO 9001 certified	3	set	79,000.00	237,000.00
45	PEC FLY/ REAR DELT MACHINE Frame Finish: proprietary tow-coat powder process, Total stack weight: Heavy- 91 kg; Light- 68kg, Consistent Stack Height, Weight Stack guarding: Full front and rear shields, Cable transmission: Internally lubricated cables and fittings, Color coded pivots and points of adjustment, Suitable for commercial use, 3 years warranty, ISO 9001 certified	1	set	240,000.0 0	240,000.0 0	<mark>42</mark>	PEC FLY/ REAR DELT MACHINE Frame Finish: Powder Coated, Total stack weight: Heavy- 91 kg; Light- 68kg, Consistent Stack Height, Weight Stack guarding: Full front and rear shields, Cable transmission: Internally lubricated cables and fittings, Color coded pivots and points of adjustment, Suitable for commercial use, 3 years warranty on frame, ISO 9001 certified	1	set	240,000.00	240,000.00

46	CABLE CROSSOVER MACHINE Frame Finish: Proprietary two-coat powder process, Over-sized Frame Tubing, Weight Stack: 2 x 200 lbs., Solid cold-rolled steel plate with inner brushing, Suspension: 3- point design, Color-coded Pivots and Adjusts, Low row and lat pulldown have dual pulley configurations for greater training variety, 2-5 configurations, Suitable for Commercial use, 3 years warranty, ISO 9001 certified	1	set	346,000.0 0	346,000.0 0	43	CABLE CROSSOVER MACHINE Frame Finish: Powder Coated, Over-sized Frame Tubing, Weight Stack: 2 x 200 lbs, Solid cold-rolled steel plate with inner brushing, Suspension: 3-point design, Color- coded Pivots and Adjusts, Low row and lat pulldown have dual pulley configurations for greater training variety, 2-5 configurations, Suitable for Commercial use, 3 years warranty, Weight Stack guarding: Full front and rear, ISO 9001 certified	1	set	346,000.00	346,000.00
47	HACK SQUAT MACHINE Frame Finish: Proprietary two-coat powder process, Maximum User Weight: 110-160 kg, Maximum Training Weight: 230-245 kg, Starting Resistance: 46-50 kg, Suitable for Commercial use, 3 years warranty, ISO 9001 certified	1	set	493,000.0 0	493,000.0 0	<mark>44</mark>	HACK SQUAT MACHINE WITH PLATE SET Frame Finish: Powder Coated, Maximum User Weight: 110-160 kg, Maximum Training Weight: 230-245 kg, Starting Resistance: 46- 50 kg, Suitable for Commercial use, 3 years warranty, ISO 9001 certified	1	set	493,000.00	493,000.00
48	REVERSE LEG EXTENSION Frame finish: Proprietary two-coat powder process, Internally lubricate cables and fittings, Machine anchoring locations, Standard Stack: 160 lbs Heavy Stack: 160 lbs Suitable for commercial use, 3 years warranty, ISO 9001 certified	1	set	260,000.0 0	260,000.0 0	45	RECUMBENT BIKE Flywheel: 9-11kg, User Weight Capacity: 150- 170kg, Pedal Spacing- 190-200 mm, Resistance: 10-20 Electric Setting, Frame type: Recumbent, Workout Program: 10-15, Seat Type: Comfort Arc with mesh seatback, Seat Adjustment: Fore/aft via easy adjust lever, Pedal type: Self-balancing pedals with adjustable straps, User Weight Capacity: 150- 160 lbs, User Weight Height Range: 140 cm- 200 cm, Power Supply: 12V/ 2A Power Adapter	1	<mark>set</mark>	<mark>260,000.00</mark>	<mark>260,000.00</mark>
49	GLUTE HAM RAISE Weight: 70kg, 914 mm x 1562 mm x 1477 mm, Power coated steel frame, Plate loaded, Vertical and horizontal adjustments, Suitable for commercial use, Electrostatic powder-coated and heat cured for super durability, ISO 9001 certified	1	set	80,000.00	80,000.00	<mark>46</mark>	GLUTE HAM RAISE BENCH Weight: 70kg, Power coated steel frame, Vertical and horizontal adjustments, Suitable for commercial use, Electrostatic powder- coated and heat cured for super durability, ISO 9001 certified	2	set	<mark>85,500.00</mark>	<mark>171,000.00</mark>
50	FLAT BENCH PRESS WITH RACK Power coated steel frame, Structural Steel Framework, Vertical Racking system which can accommodate both Men's and	1	set	47,000.00	47,000.00	<mark>47</mark>	FLAT BENCH PRESS Powder coated steel frame, Structural Steel Framework, Vertical Racking system which can accommodate both Men's and Women's	1	set	47,000.00	47,000.00

	Women's Olympic sized bars, Flat padded seat, 3-5 Racking points, Maximum User Weight: 140-160 kg, 3 years warranty, suitable for commercial use, ISO 9001 Certified						Olympic sized bars, Flat padded seat, 3-5 Racking points, Maximum User Weight: 140- 160 kg, 3 years warranty, suitable for commercial use, ISO 9001 Certified				
51	DECLINE BENCH PRESS WITH RACK Power Coated Steel frame, Structural Steel Framework, Vertical racking system which will accommodate both Men's and Women's Olympic Sized Bar, Padded seat and upper body rest, Adjustable leg rollers, 3-5 racking points, suitable for commercial use, ISO 9001 Certified	1	set	265,000.0 0	265,000.0 0	<mark>48</mark>	DECLINE BENCH PRESS WITH HORN AND PLATE SET Powder Coated Steel frame, Structural Steel Framework, Vertical racking system which will accommodate both Men's and Women's Olympic Sized Bar, Padded seat and upper body rest, Adjustable leg rollers, 3-5 racking points, suitable for commercial use, ISO 9001 Certified	1	set	265,000.00	265,000.00
52	INCLINE BENCH PRESS WITH RACK Power Coated Steel Frame, Structural Steel Framework, Plate loaded, Electrostatic powder-coated and heat cured, 55-70 mm thick seats and padding, Maximum Weight Capacity: 280-320 kg, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	160,000.0 0	160,000.0 0	<mark>49</mark>	INCLINE BENCH PRESS WITH HORN AND PLATE SET Powder Coated Steel Frame, Structural Steel Framework, Plate loaded, Electrostatic powder-coated and heat cured, 55-70 mm thick seats and padding, Maximum Weight Capacity: 280-320 kg, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	160,000.00	160,000.00
53	45 DEG LEG PRESS Proprietary two-coat powder process, Maximum user weight: 150-170 kg, Plate loaded, Adjustable bottol stops provide long or shot ranges of motion for all heigh users, Adjustable back pad, Assistance handle on platform, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	495,000.0 0	495,000.0 0	50	45 DEG LEG PRESS Powder Coated Finish, Maximum user weight: 150-170 kg, Plate loaded, Adjustable bottom stops provide long or short ranges of motion for all height users, Adjustable back pad, Assistance handle on platform, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	495,000.00	495,000.00
54	SHOULDER PRESS BENCH Frame Finish: Proprietary two-coat powder process, Maximum User weight: 150-165 kg, Maximum Training Weight: 200-210 kg, Dual-grip pressing positions, Ratcheting Seat, 4 integrated weight-storage horns, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	246,000.0 0	246,000.0 0	<mark>51</mark>	SHOULDER PRESS BENCH Frame Finish: Powder Coated, Maximum User weight: 150-165 kg, Maximum Training Weight: 200-210 kg, Dual-grip pressing positions, 4 integrated weight-storage horns, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	246,000.00	246,000.00
55	SEATED PREACHER CURL Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, Angled	<mark>1</mark>	<mark>set</mark>	73,000.00	73,000.00						

	seat pad at 10º, Angled elbow pad at 55º, suitable for commercial use, 3 year warranty, ISO 9001 Certified										
56	ROMAN CHAIR/ Arm Curl Frame Finish: Proprietary two-coat powder process, Over-sized Internal Frame Tubing, Angle hand grips, Arm pad is angled, 3- point design suspension, With guards and pulleys covers, magnetic and tethered weight pins, Solid cold-rolled steel plate with inner bushings, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	265,000.0 0	265,000.0 0	<mark>52</mark>	STANDING PREACHER CURL WITH BAR, PLATE SET, AND COLLARS Frame Finish: Powder Coated, Over-sized Internal Frame Tubing, Angle hand grips, Arm pad is angled, 3-point design suspension, With guards and pulleys covers, magnetic and tethered weight pins, Solid cold-rolled steel plate with inner bushings, suitable for commercial use, 3 year warranty, ISO 9001 Certified	1	set	265,000.00	265,000.00
57	KNEE RAISE Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	129,000.0 0	129,000.0 0	<mark>53</mark>	VERTICAL KNEE RAISE WITH BENCH Oversized round handles, Angled back support, Elbow pads, Multiple chin grips and rock-climbing grips, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	129,000.00	129,000.00
58	BENCH ABS Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	101,000.0 0	101,000.0 0	<mark>54</mark>	BENCH ABS Split-pad design, Double-adjustable leg pads, handle is mounted on front rollers, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	101,000.00	101,000.00
59	OLYMPIC BENCH Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, Multiple weight take-off points are spread 6" inches apart, Standard weight storage, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	139,000.0 0	139,000.0 0	<mark>55</mark>	FLAT BENCH Frame Finish: Powder Coated, Over-sized frame tubing, suitable for commercial use, 3 years warranty, ISO 9001 Certified	3	set	<mark>46,333.333</mark> <mark>33</mark>	<mark>139,000.00</mark>
60	ADJUSTABLE CRUNCH Frame finish: Proprietary two-coat powder process, Color-coded adjustment points, heavy gauge steel tubing, Adjustable leg pad, Protective molded guards in high wear/scuff areas, Pivots into 5-8 different positions from 0 to 25 degrees, elevated knee position, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	290,000.0 0	290,000.0 0	56	ADJUSTABLE DECLINE BENCH Frame Finish: Powder Coated, Over-sized Frame Tubing, Product Weight: Atleast 30kg, 3 years warranty on frame, ISO 9001 Certified	1	set	<mark>90,000.00</mark>	<mark>90,000.00</mark>

61	45 DEGREE HYPEREXTENSION/ Back Extension Bench Frame Finish: Proprietary two-coat powder process, Over-sized frame tubing, 8-10 positions of adjustment, suitable for commercial use, 3 years warranty, ISO 9001 Certified	1	set	91,000.00	91,000.00						
						57	ABS CRUNCH BENCH Frame Finish: Powder Coated, Product Weight: 55 kg – 70kg, Maximum User Weight: atleast 150 kg, Maximum Training Weight: atleast 30kg, Starting Resistance: 10kg, Weight horn accommodates atleast 12kg plates, 3 years warrant on frame, ISO 9001 Certified	2	Set	<mark>100,000.00</mark>	<mark>200,000.00</mark>
	e: Color for the frame of the Equip r their equipment in <u>ONE</u> color on		<mark>t are e</mark>	ither Black	or Silver	<mark>and i</mark>	ts upholstery are either Gray or Bla	ick. E	Bidders	are reque	<mark>sted to</mark>

For your guidance and information of all concerned.

(Sgd)Prof. Jessica K. Cariño Chair, Bids and Award Committee

Received by the Bidder: _____ Date: _____